

Product Handling Information Sheet SustaPEEK natural

1. Company			
Name/Address	Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein		
2. Product details			
Product/Article	Engineering semi-finished product		
Abbreviated terms	PEEK		
Material Characterisation	Thermoplastic		
Main Components	 polyetheretherketone contains evtl. colour pigments		
Components Subject to labelling	none		
Classification according to REACh	Article		
Notes	-		
3. Product characteristics			
Form/State	• solid		

J. FIOUUCE CHURCHERISTICS	
Form/State	• solid
Color	natural
Odour	• odourless
Density	1,31
Melting range	343
Glass transition temperature	-
Thermal decomposition	>500 °C
Flash point	-



Röchling

3. Product characteristics		
Ignition temperature	>575 °C	
Notes	_	

4. Danger warnings			
Special Risks For Mankind And The Environment	e none		
Notes	-		
5. Handling and Storage			
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. 		
Storage	 horizontally dry protected against climatic influences 		
Safety measures			

Notes	-
6. Transport	
Transport	Not classified as bazardous good under transport regulations

-

nansport	Not classified as nazaraous good under transport regulations.		
Finished Product Packing			
Notes	-		

7. Fire – fighting measures	
Suitable extinguishing agents	• water
	• foam
	 dry extinguishing media
	• CO ₂



Shelf Life

Röchling

7. Fire – fighting measures		
Potential combustion products	• carbon monoxide	
Necessary protection equipment	• Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.	
Notes	Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.	

8. Removal			
Recyclability	Check possibility of recycling.		
EC Waste Catalog	According the European waste catalogue (EAK) the product is not classified as hazardous.		
Waste Removal	Waste disposal by landfill or incineration in compliance with state and local regulations. 12 01 05 plastics shavings and turnings 07 02 13 waste plastic 		
EC Waste Code			
Notes	-		
9. Marking and Guidelines			
Marking in accordance with EEC Guideline	not subject to labelling		

10. Information about REACh				
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products of clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefor not required to issue safety sheets.		The EU regulation about prce 01 st of June 2007, perous substances and	

-

11. Other Information	
Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.



Print: 08/07/2025 • Release: 23/02/2024 • Version: 8.0 PIM-Version: 996 • PIM-ID: 591047 • PIM-Code: 996-154

Notes