

## **Product Handling Information Sheet**

## SustaPEEK natural calendered

1. Company			
Name/Address		Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein	
2. Product details			
Product/Article		Engineering semi-finished product	
Abbreviated terms		PEEK	
Material Characterisation		Thermoplastic	
Main Components		<ul><li>polyetheretherketone</li><li>contains evtl. colour pigments</li></ul>	
Components Subject to labell	ling	none	
Classification according to REACh		Article	
Notes		-	
3. Product characteristics			
Form/State		• solid	
Color		natural	
Odour		• odourless	
Density		1,31	
Melting range		343	
Glass transition temperature		-	
Thermal decomposition			
Thermal decomposition		>500 °C	





3. Product characteristics			
Ignition temperature	>575 °C		
Notes	<u>-</u>		
4. Danger warnings			
Special Risks For Mankind And Environment	The none		
Notes	-		
5. Handling and Storage			
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>		
Storage	<ul><li>horizontally</li><li>dry</li><li>protected against climatic influences</li></ul>		
Safety measures			
Shelf Life	-		
Notes	-		
6. Transport			
Transport	<ul> <li>Not classified as hazardous good under transport regulations.</li> </ul>		
Finished Product Packing	-		
Notes	-		
7. Fire – fighting measures			
Suitable extinguishing agents	<ul> <li>water</li> <li>foam</li> <li>dry extinguishing media</li> <li>CO<sub>2</sub></li> </ul>		





7. Fire – fighting measures			
Potential combustion products		• carbon monoxide	
Necessary protection equipment		<ul> <li>Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.</li> </ul>	
Notes		Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.	
8. Removal			
Recyclability		Check possibility of recycling.	
EC Waste Catalog		According the European waste catalogue (EAK) the product is not classified as hazardous.	
Waste Removal		Waste disposal by landfill or incineration in compliance with state and local regulations.	
EC Waste Code		<ul><li>12 01 05 plastics shavings and turnings</li><li>07 02 13 waste plastic</li></ul>	
Notes		_	
9. Marking and Guidelines			
Marking in accordance with Guideline	EEC	not subject to labelling	
Notes	,	-	
10. Information about REAC	Ch		
Information about REACh		According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.	
11. Other Information			
Other Information		All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.	

