

## **Product Handling Information Sheet**

## SustaPEEK GLD 140 FG natural

1. Company		
Name/Address	Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein	
2. Product details		
Product/Article	Engineering semi-finished product	
Abbreviated terms	PEEK	
Material Characterisation	Thermoplastic	
Main Components	<ul><li>polyetheretherketone</li><li>contains evtl. colour pigments</li><li>solid lubricant</li></ul>	
Components Subject to labelling	none	
Classification according to REACh	Article	
Notes		
3. Product characteristics		
Form/State	• solid	
Color	natural	
Odour	• odourless	
Density	1,36	
Melting range	343	
Glass transition temperature	-	
Thermal decomposition	>500 °C	
Flash point	-	





3. Product characteristics	
Ignition temperature	>575 °C
Notes	-
4. Danger warnings	
Special Risks For Mankind And Th Environment	e none
Notes	-
5. Handling and Storage	
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>
Storage	<ul><li>horizontally</li><li>dry</li><li>protected against climatic influences</li></ul>
Safety measures	
Shelf Life	-
Notes	-
6. Transport	
Transport	<ul> <li>Not classified as hazardous good under transport regulations.</li> </ul>
Finished Product Packing	-
Notes	-
7. Fire – fighting measures	
Suitable extinguishing agents	<ul> <li>water</li> <li>foam</li> <li>dry extinguishing media</li> <li>CO<sub>2</sub></li> </ul>





7. Fire – fighting measures				
Potential combustion produ	cts	<ul> <li>carbon monoxide</li> <li>tetrafluoroethene</li> <li>hexafluoropropene</li> <li>fluorid compound</li> </ul>		
Necessary protection equipment		Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.		
Notes		Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.		
8. Removal				
Recyclability		Check possibility of recycling.		
EC Waste Catalog		According the European waste catalogue (EAK) the product is not classified as hazardous.		
Waste Removal		Waste disposal by landfill or incineration in compliance with state and local regulations.		
EC Waste Code		<ul><li>12 01 05 plastics shavings and turnings</li><li>07 02 13 waste plastic</li></ul>		
Notes		-		
9. Marking and Guidelines				
Marking in accordance with Guideline	EEC	not subject to labelling		
Notes		-		
10. Information about REAC	h			
Information about REACh		Information about REACh Text		
		All I		
Other Information		All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own gutbority.		

observed by the recepient of our products on his own authority.

