Röchling

Industrial

Product Handling Information Sheet

SustaPVDF FG natural

1. Company					
Name/Address	Röchling Industrial Lahnstein SE & Co. KG				
	Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0				
	info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein				
2. Product details					
Product/Article	Engineering semi-finished product				
Abbreviated terms	PVDF				
Material Characterisation	Thermoplastic				
Main Components	polyvinylidene fluoride				
Components Subject to labelling	none				
Classification according to REA	h Article				
Notes					

3. Product characteristics	
Form/State	• solid
Color	natural
Odour	• odourless
Density	1,78
Melting range	178
Glass transition temperature	_
Thermal decomposition	>290 °C
Flash point	
Ignition temperature	>400 °C



Röchling

3. Product characteristics		
Notes	-	

4. Danger warnings	
Special Risks For Mankind And The Environment	none
Notes	

5. Handling and Storage	
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.
Storage	 horizontally dry protected against climatic influences
Safety measures	
Shelf Life	-
Notes	-

6. Transport						
Transport	 Not cl 	assified as h	azardous	good unde	er transport	regulations.
Finished Product Packing	_					
Notes	-					

7. Fire – fighting measures	
Suitable extinguishing agents	 water foam dry extinguishing media



Print: 08/07/2025 • Release: 20/09/2023 • Version: 4.0 PIM-Version: 969 • PIM-ID: 591291 • PIM-Code: 969-31

Röchling

7. Fire – fighting measures	
Potential combustion products	 carbon monoxide hydrogen fluoride fluorophosgene
Necessary protection equipment	 Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.
Notes	Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	According the European waste catalogue (EAK) the product is not classified as hazardous.
Waste Removal	Waste disposal by landfill or incineration in compliance with state and local regulations.
EC Waste Code	 12 01 05 plastics shavings and turnings 07 02 13 waste plastic
Notes	-

9. Marking and Guidelines				
Marking in accordance with Guideline	EEC	not subject to labell	ing	
Notes		-		

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

11. Other Information



Print: 08/07/2025 • Release: 20/09/2023 • Version: 4.0 PIM-Version: 969 • PIM-ID: 591291 • PIM-Code: 969-31



Industrial

Other Information

All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.





Print: 08/07/2025 • Release: 20/09/2023 • Version: 4.0 PIM-Version: 969 • PIM-ID: 591291 • PIM-Code: 969-31