

Product Handling Information Sheet

SustaPEEK CF 30 black

1. Company

| | |
|--------------|---|
| Name/Address | Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein |
|--------------|---|

2. Product details

| | |
|-----------------------------------|--|
| Product/Article | Engineering semi-finished product |
| Abbreviated terms | PEEK |
| Material Characterisation | Thermoplastic |
| Main Components | <ul style="list-style-type: none">• contains carbon fibre• polyetheretherketone |
| Components Subject to labelling | - |
| Classification according to REACH | Article |
| Notes | - |

3. Product characteristics

| | |
|------------------------------|---|
| Form/State | <ul style="list-style-type: none">• solid |
| Color | black |
| Odour | <ul style="list-style-type: none">• odourless |
| Density | 1,40 |
| Melting range | 343 |
| Glass transition temperature | - |
| Thermal decomposition | >500°C |
| Flash point | - |

3. Product characteristics

| | |
|----------------------|--------|
| Ignition temperature | >575°C |
| Notes | - |

4. Danger warnings

| | |
|---|------|
| Special Risks For Mankind And The Environment | none |
| Notes | - |

5. Handling and Storage

| | |
|-----------------|---|
| Handling | <ul style="list-style-type: none"> Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. |
| Storage | <ul style="list-style-type: none"> horizontally dry protected against climatic influences |
| Safety measures | |
| Shelf Life | - |
| Notes | - |

6. Transport

| | |
|--------------------------|---|
| Transport | <ul style="list-style-type: none"> Not classified as hazardous good under transport regulations. |
| Finished Product Packing | - |
| Notes | - |

7. Fire – fighting measures

| | |
|-------------------------------|--|
| Suitable extinguishing agents | <ul style="list-style-type: none"> water foam dry extinguishing media |
| Potential combustion products | <ul style="list-style-type: none"> carbon monoxide |

7. Fire – fighting measures

Necessary protection equipment

Notes

Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.

8. Removal

Recyclability

Check possibility of recycling.

EC Waste Catalog

–

Waste Removal

Waste disposal by landfill or incineration in compliance with state and local regulations.

EC Waste Code

Notes

–

9. Marking and Guidelines

Marking in accordance with EEC Guideline

not subject to labelling

Notes

–

10. Information about REACH

Information about REACH

According to EC directive 1907/2006/EC (REACH), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACH), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACH we are manufacturing articles and, therefore, not required to issue safety sheets.[]

11. Other Information

Other Information

All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recipient of our products on his own authority.