

Product Handling Information Sheet

_

_

Maywosoft[®] ABS/TPU super matt

1. Company			
Name/Address		Röchling Industrial Allgäu GmbH Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 9857 0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach	
2. Product details			
Product/Article		Semi-finished product (sheet or film)	
Abbreviated terms		ABS / TPU	
Material Characterisation		Thermoplastic	
Main Components		 acrylonitrile butadiene styrene thermoplastic polyurethanes contains additives evtl. colour pigments 	
Components Subject to labe	elling	none	
Classification according to	REACh	-	
Notes		-	
3. Product characteristics			
Form/State		• firm	
Color		-	
Odour		nearly odourless	
Density		1,08	



Melting range

Glass transition temperature

Röchling

Industrial

3. Product characteristics

Thermal decomposition	>230°C
Flash point	-
Ignition temperature	-
Notes	-

4. Danger warnings					
			-	And The	Special Risks For Mankind A Environment
			-		Notes

5. Handling and Storage	
Handling	 Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. Product can be worked with conventional machines and tools.
Storage	 horizontally dry protected against frost protected against climatic influences
Safety measures	 Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines.
Shelf Life	-
Notes	_

6. Transport	
Transport	Secure against slipping.Non dangerous goods according to the transport regulations
Finished Product Packing	-
Notes	_



Röchling

7. Fire – fighting measures			
Suitable extinguishing ager	 • water • foam • dry powder extinguishing agents 		
Potential combustion prod	 CO HCN NO isocyanate CO₂ 		
Necessary protection equip	 Complete protection equipment for fire-brigade. Use self-contained air respirators during strong smoke and steam development. 		
Notes	Molten product has to be cooled with water. Fire residues and contaminated extinguishing water must be collected and disposed of according to the local instructions.		

8. Removal						
Recyclability		Check possibility of recycling.				
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".				
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.				
EC Waste Code		 12 01 05 plastics shavings and turnings 20 01 39 plastics 				
Notes		-				
9. Marking and Guideline	5					

Marking in accordance with EEC Guideline	-	
Notes	-	

10. Information about REACh



Print: 29/04/2024 • Release: 20/09/2023 • Version: 2.0 PIM-Version: 82 • PIM-ID: 709671 • PIM-Code: 82-8



Industrial

Information about REACh According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

11. Other Information

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics.Existing laws and regulations are to be observed by the user of our product within his own responsibility.



Print: 29/04/2024 • Release: 20/09/2023 • Version: 2.0 PIM-Version: 82 • PIM-ID: 709671 • PIM-Code: 82-8