

## **Product Handling Information Sheet**

## Maywotron® ABS/TPU Sur-R

1. Company	
Name/Address	Röchling Industrial Allgäu GmbH  Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 9857  0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach
2. Product details	
Product/Article	Technical semi-finished product or machined part
Abbreviated terms	ABS / TPU
Material Characterisation	Thermoplastic
Main Components	<ul> <li>acrylonitrile butadiene styrene</li> <li>thermoplastic polyurethanes</li> <li>colour pigments and possibly additives</li> </ul>
Components Subject to labelling	none
Classification according to REACh	Article Article
Notes	-
3. Product characteristics	
Form/State	• firm
Color	-
Odour	nearly odourless
Density	1,10
Melting range	>180°C
Glass transition temperature	-
Thermal decomposition	> 230°C





3. Product characteristics	
Flash point	<u>-</u>
Ignition temperature	> 350°C
Notes	<u>-</u>
4. Danger warnings	
Special Risks For Mankind And T Environment	he none
Notes	-
5. Handling and Storage	
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>
Storage	<ul> <li>horizontally</li> <li>dry</li> <li>protected against frost</li> <li>protected against climatic influences</li> <li>product protect against frost</li> </ul>
Safety measures	<ul> <li>Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines.</li> <li>Wear gloves to prevent contact during mechanical processing and/or hot melt conditions.</li> <li>Wear splash goggles to protect from hot molten substance/product.</li> </ul>
Shelf Life	-
Notes	-
6. Transport	
Transport	<ul> <li>Non dangerous goods according to the transport regulations.</li> <li>Secure against slipping.</li> </ul>
Finished Product Packing	<u>-</u>
Notes	





Cuitable autimosticismos	4-	
Suitable extinguishing agents		• water
		• foam
		• CO <sub>2</sub>
		dry powder extinguishing agents
Potential combustion products		• CO
		• CO <sub>2</sub>
		• HCN
		• NO
		• isocyanate
Necessary protection equipment		Complete protection equipment for fire-brigade.
Notes		Molten product has to be cooled with water. Fire residues and contaminated extinguishing water must be collected and disposed of according to the local instructions.
8. Removal		
Recyclability		Check possibility of recycling.
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code		<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>
Notes		-
9. Marking and Guidelines		
Marking in accordance with Guideline	EEC	no labelling required
Notes		-

## 10. Information about REACh







Information about REACh

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

## 11. Other Information

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



