

## **Product Handling Information Sheet**

## Maywotron® ABS/TPU Vol-R

1. Company			
Name/Address		Röchling Industrial Allgäu GmbH  Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 9857-0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach	
2. Product details			
Product/Article		Technical semi-finished product or machined part	
Abbreviated terms		ABS / TPU	
Material Characterisation		Thermoplastic	
Main Components		<ul> <li>acrylnitril butadiene styrene copolymer</li> <li>thermoplastic polyurethanes</li> <li>contains colour pigments</li> <li>contains additives</li> </ul>	
Components Subject to labelling		none	
Classification according to REACh		Article	
Notes			
3. Product characteristics			
Form/State		• firm	
Color		-	
Odour		nearly odourless	
Density		1,10	
Melting range		>180°C	
Glass transition temperature		_	





3. Product characteristics	
Thermal decomposition	> 230°C
Flash point	
Ignition temperature	> 350°C
Notes	_
4. Danger warnings	
Special Risks For Mankind An Environment	d The None
Notes	-
5. Handling and Storage	
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored formin. 24h under normal climatic conditions.</li> </ul>
Storage	<ul> <li>horizontally</li> <li>dry</li> <li>protected against frost</li> <li>protected against climatic influences</li> </ul>
Safety measures	<ul> <li>Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines.</li> <li>Wear splash goggles to protect from hot molten substance/product.</li> <li>Wear gloves to prevent contact during mechanical processing and/or hot melt conditions.</li> </ul>
Shelf Life	-
Notes	
6. Transport	
Transport	Non dangerous goods according to the transport regulations.
	Secure against slipping.
Finished Product Packing	<u>-</u>





6. Transport	
Notes	
7. Fire – fighting measures	
Suitable extinguishing agents	<ul> <li>water</li> <li>foam</li> <li>CO<sub>2</sub></li> <li>dry powder extinguishing agents</li> </ul>
Potential combustion products	<ul> <li>CO<sub>2</sub></li> <li>CO</li> <li>HCN</li> <li>NO</li> <li>isocyanate</li> </ul>
Necessary protection equipment	<ul><li>Complete protection equipment for fire-brigade.</li><li>Use self-contained air respirators during strong smoke and steam development.</li></ul>
Notes	Molten product has to be cooled with water. Fire residues must be collected and disposed of according to the local instructions.
8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>
Notes	-
9. Marking and Guidelines	
Marking in accordance with EEC Guid	leline –
Notes	-







10. Information about REACh		
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets	

11. Other Information	
Other Information	The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.
	address of our product within the own responsionity.

