

## **Product Handling Information Sheet**

## SustaPEEK MG yellow YL

1. Company		
Name/Address	Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein	
2. Product details		
Product/Article	Engineering semi-finished product	
Abbreviated terms	PEEK	
Material Characterisation	Thermoplastic	
Main Components	polyetheretherketone	
Components Subject to labelling	none	
Classification according to REACh	Article	
Notes		
3. Product characteristics		
Form/State	• solid • firm	
Color	yellow	
Odour	• odourless	
Density	1,35	
Melting range	341	
Glass transition temperature	-	
Thermal decomposition	>500°C	
Flash point	-	





3. Product characteristics	
Ignition temperature	>575°C
Notes	<u> </u>
4. Danger warnings	
Special Risks For Mankind And The Environment	e none
Notes	-
5. Handling and Storage	
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>
Storage	<ul><li>horizontally</li><li>dry</li><li>protected against climatic influences</li></ul>
Safety measures	
Shelf Life	-
Notes	-
6. Transport	
Transport	<ul> <li>Non dangerous goods according to the transport regulations.</li> </ul>
Finished Product Packing	
Notes	-
7. Fire – fighting measures	
Suitable extinguishing agents	• water
	• foam
	dry extinguishing media
	• CO <sub>2</sub>





7. Fire – fighting measures		
Potential combustion products		carbon monoxide
Necessary protection equipment		<ul><li>Complete protection equipment for fire-brigade.</li><li>Use self-contained air respirators.</li></ul>
Notes		-
8. Removal		
Recyclability		Check possibility of recycling.
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal		Can be recycled and/or has to be conveyed to a suitable dump or a suitable combustion plant.
EC Waste Code		<ul><li>12 01 05 plastics shavings and turnings</li><li>07 02 13 waste plastic</li></ul>
Notes		-
9. Marking and Guidelines		
Marking in accordance with E Guideline	EC	not subject to labelling
Notes		
10. Information about REACh		
Information about REACh		According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.
Other Information		All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.

