Industrial

## Product Handling Information Sheet SustaPEEK MG yellow YL

1. Company			
Name/Address	Röchling Industrial Lahnstein SE & Co. KG		
	Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0		
	info.lahnstein@roechling.com • www.roechling.com/industrial/lahnsteir		
2. Product details			
Product/Article	Engineering semi-finished product		
Abbreviated terms	PEEK		
Material Characterisation	Thermoplastic		
Main Components	polyetheretherketone		
Components Subject to labelling	none		
Classification according to REACh	Article		
Notes			
3. Product characteristics			
Form/State	• solid		
	• firm		
Color	yellow		
Odour	• odourless		
Density	1,35		
Melting range	341		
Glass transition temperature	-		
Thermal decomposition	>500°C		



Flash point

## Röchling

3. Product characteristics		
Ignition temperature	>575°C	
Notes	-	

4. Danger warnings						
Special Risks For Mankind And The Environment	none					
Notes	-					
5. Handling and Storage						
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>					
Storage	<ul> <li>horizontally</li> <li>dry</li> <li>protected against climatic influences</li> </ul>					
Safety measures						
Shelf Life						
Notes	-					

6. Transport						
Transport		• Non do	ingerous goods ac	cording to	the transpor	t regulations
Finished Product Packing	-					
Notes	-					
Notes						

7. Fire – fighting measures	
Suitable extinguishing agents	• water
	• foam
	<ul> <li>dry extinguishing media</li> </ul>
	• CO <sub>2</sub>



## Röchling

## Industrial

7. Fire – fighting measures		
Potential combustion products	• carbon monoxide	
Necessary protection equipment	Complete protection equipment for fire-brigade.	
	Use self-contained air respirators.	
Notes	-	

8. Removal					
Recyclability	Check possibility of recycling.				
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".				
Waste Removal	Can be recycled and/or has to be conveyed to a suitable dump or a suitable combustion plant.				
EC Waste Code	<ul> <li>12 01 05 plastics shavings and turnings</li> <li>07 02 13 waste plastic</li> </ul>				
Notes	-				
9. Marking and Guidelines					
Marking in accordance with EEC Guideline	not subject to labelling				
Notes					

to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are ined as articles, exempt from registration. The EU regulation about no. 1907/2006 (REACh), which came into force 01 st of June 2007,
Material Safety Data Sheets only for dangerous substances and ns. According to REACh we are manufacturing articles and, therefore, ed to issue safety sheets.
r

11. Other Information	
Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.



Print: 08/05/2024 • Release: 18/03/2024 • Version: 2.0 PIM-Version: 158 • PIM-ID: 752213 • PIM-Code: 158-3