# Röchling

Industrial

#### Product Handling Information Sheet SustaPEEK MG green GN

1. Company		
Name/Address	<b>Röchling Industrial Lahnstein SE &amp; Co. KG</b> Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0	
	info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein	
2. Product details		
Product/Article	Engineering semi-finished product	
Abbreviated terms	PEEK	
Material Characterisation	Thermoplastic	
Main Components	<ul><li>polyetheretherketone</li><li>colour pigments and possibly additives</li></ul>	
Components Subject to labelling	none	
Classification according to REACh	Article	
Notes		
3. Product characteristics		
<b>F</b>		

Form/State	• solid
	• firm
Color	green
Odour	• odourless
Density	1,34
Melting range	341
Glass transition temperature	-
Thermal decomposition	>500°C
Flash point	



## Röchling

3. Product characteristics		
Ignition temperature	>575°C	
Notes	-	

4. Danger warnings		
Special Risks For Mankind And The Environment	none	
Notes	-	
5. Handling and Storage		
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>	
Storage	<ul> <li>horizontally</li> <li>dry</li> <li>protected against climatic influences</li> </ul>	
Safety measures		
Shelf Life	-	
Notes	-	

• Non d			
• Non u	angerous goods accor	ding to the transpor	t regulations
-			
-			

7. Fire – fighting measures	
Suitable extinguishing agents	• water
	• foam
	• CO <sub>2</sub>
	<ul> <li>dry extinguishing media</li> </ul>



## Röchling

#### Industrial

7. Fire – fighting measures		
Potential combustion products	• carbon monoxide	
Necessary protection equipment	Complete protection equipment for fire-brigade.	
	Use self-contained air respirators.	
Notes	-	

8. Removal			
Recyclability	Check possibility of recycling.		
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".		
Waste Removal	Can be recycled and/or has to be conveyed to a suitable dump or a suitable combustion plant.		
EC Waste Code	<ul> <li>12 01 05 plastics shavings and turnings</li> <li>07 02 13 waste plastic</li> </ul>		
Notes	-		
9. Marking and Guidelines			
Marking in accordance with EEC Guideline	not subject to labelling		
Notes			

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

11. Other Information	
Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.



Print: 07/07/2025 • Release: 01/10/2024 • Version: 4.0 PIM-Version: 593 • PIM-ID: 752214 • PIM-Code: 593-3