

Product Handling Information Sheet

Durostone® AGZ-S (160)

1. Company

| | |
|--------------|---|
| Name/Address | Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren |
|--------------|---|

2. Product details

| | |
|-----------------------------------|--|
| Product/Article | Technical semi-finished product or machined part |
| Abbreviated terms | GFK-AG |
| Material Characterisation | Glass-fiber reinforced Methacrylat resin in hardened condition |
| Main Components | <ul style="list-style-type: none">• glass-fiber• methacrylat resin• stabiliser• fillers• additives |
| Components Subject to labelling | none |
| Classification according to REACh | Article |
| Notes | - |

3. Product characteristics

| | |
|------------------------------|--|
| Form/State | <ul style="list-style-type: none">• firm |
| Color | - |
| Odour | <ul style="list-style-type: none">• typical material smell |
| Density | - |
| Melting range | - |
| Glass transition temperature | - |



3. Product characteristics

| | |
|-----------------------|-------------------------|
| Thermal decomposition | - |
| Flash point | None, with intended use |
| Ignition temperature | - |
| Notes | - |

4. Danger warnings

| | |
|---|--|
| Special Risks For Mankind And The Environment | none |
| Notes | According to IARC glass fibre filaments cannot be classified as carcinogenic with humans (IARC group 3). The diameter of the glass fibre filaments which are used in this laminated material is outside of the lung-usual range from 3 µm so that the danger of chronic lung damage is minimal. The diameter of the used glass fibre filaments amounts to 5 – 16 µm (typical 12 µm). Their diameter is not reduced by treatment of these fibres, i. e. its potential lung freedom of movement does not increase. |

5. Handling and Storage

| | |
|-----------------|--|
| Handling | <ul style="list-style-type: none"> Product can be worked with conventional machines and tools. For the machining special tools should be used such as tungsten carbides drill / PKD or diamond-equipped tools. |
| Storage | <ul style="list-style-type: none"> horizontally dry protected against frost protected against climatic influences |
| Safety measures | <ul style="list-style-type: none"> Provide effective dust extraction when processing and machining. Carry protective mask and protective goggles at dusty condition. |
| Shelf Life | - |
| Notes | - |

6. Transport

| | |
|--------------------------|---|
| Transport | <ul style="list-style-type: none"> Non dangerous goods according to the transport regulations. Secure against slipping. |
| Finished Product Packing | - |

6. Transport

Notes

–

7. Fire – fighting measures

Suitable extinguishing agents

- water
- sand
- foam
- CO₂

Potential combustion products

- CO
- CO₂
- other toxic gases

Necessary protection equipment

- Complete protection equipment for fire-brigade.

Notes

–

8. Removal

Recyclability

Check possibility of recycling.

EC Waste Catalog

The product is classified in accordance with the European-Waste Catalogue (EWC) as “not dangerous”.

Waste Removal

Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.

EC Waste Code

- 10 11 03 waste glass-based fibrous materials

Notes

–

9. Marking and Guidelines

Marking in accordance with EEC Guideline

no labelling required

Notes

–

10. Information about REACH

Information about REACH

According to EC directive 1907/2006/EC (REACH), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACH), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACH we are manufacturing articles and, therefore, not required to issue safety sheets.[]

11. Other Information

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics.Existing laws and regulations are to be observed by the user of our product within his own responsibility.

