

Product Handling Information Sheet

Durostone® EPC 203

1. Company		
Name/Address	Röchling Industrial Nancy S.A.S. 8, Rue André Fruchard • 54520 B.P.12, Maxéville/France (FR) • Tel. +33 383 342424 info@roechling-permali.fr • www.roechling.com/industrial/nancy	
2. Product details		
Product/Article	Technical semi-finished product or machined part	
Abbreviated terms	GFK-EP	
Material Characterisation	Glass-fiber reinforced epoxy resin in hardened condition	
Main Components	glass-fiberepoxy resinadditives	
Components Subject to labelling	none	
Classification according to REACh	Article	
Notes	-	
3. Product characteristics		
Form/State	• firm	
Color	-	
Odour	typical material smell	
Density	_	
Melting range	-	
Glass transition temperature	-	
Thermal decomposition	-	
Flash point	None, with intended use	





-	
-	
ne none	
According to IARC glass fibre filaments cannot be classified as carcinogenic with humans (IARC group 3). The diameter of the glass fibre filaments which are used in this laminated material is outside of the lung-usual range from 3 μm so that the danger of chronic lung damage is minimal. The diameter or the used glass fibre filaments amounts to 5 – 16 μm (typical 12 μm). Their diameter is not reduced by treatment of these fibres, i. e. it's potential lung freedom of movement does not increase.	
 Product can be worked with conventional machines and tools. For the machining special tools should be used such as tungsten carbides drill PKD or diamond-equipped tools. 	
 horizontally dry protected against frost protected against climatic influences 	
 Provide effective dust extraction when processing and machining. Carry protective mask and protective goggles at dusty condition. 	
-	
 Non dangerous goods according to the transport regulations. Secure against slipping. 	
-	
-	





7. Fire – fighting measures			
Suitable extinguishing agent	ts	 water sand foam CO₂ 	
Potential combustion products Necessary protection equipment		• CO • CO ₂ • other toxic gases	
		Complete protection equipment for fire-brigade.	
Notes		-	
8. Removal			
Recyclability		Check possibility of recycling.	
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".	
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.	
EC Waste Code		10 11 03 waste glass-based fibrous materials	
Notes		-	
9. Marking and Guidelines			
Marking in accordance with Guideline	EEC	no labelling required	
Notes		-	
10. Information about REAC	h		
Information about REACh		Information about REACh Text	
11. Other Information			
Other Information		The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.	

