

Product Handling Information Sheet

Durostone® EPX -M

1. Company		
Name/Address	Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren	
2. Product details		
Product/Article	Technical semi-finished product or machined part	
Abbreviated terms	GFK-EP	
Material Characterisation	Glass-fiber reinforced epoxy resin in hardened condition	
Main Components	glass-fiberepoxy resinadditives	
Components Subject to labelling	none	
Classification according to REACh	Article	
Notes	-	
3. Product characteristics		
Form/State	• firm	
Color	-	
Odour	typical material smell	
Density	-	
Melting range	-	
Glass transition temperature	-	
Thermal decomposition	-	
Flash point	None, with intended use	





Ignition temperature		
Notes	<u> </u>	
4. Danger warnings		
Special Risks For Mankind And The Environment	none	
Notes	According to IARC glass fibre filaments cannot be classified as carcinogenic with humans (IARC group 3). The diameter of the glass fibre filaments which are used in this laminated material is outside of the lung-usual range from 3 μm so that the danger of chronic lung damage is minimal. The diameter or the used glass fibre filaments amounts to 5 – 16 μm (typical 12 μm). Their diameter is not reduced by treatment of these fibres, i. e. it's potential lung freedom of movement does not increase.	
5. Handling and Storage		
Handling	 Product can be worked with conventional machines and tools. For the machining special tools should be used such as tungsten carbides drill PKD or diamond-equipped tools. 	
Storage	 horizontally dry protected against frost protected against climatic influences 	
Safety measures	 Provide effective dust extraction when processing and machining. Carry protective mask and protective goggles at dusty condition. 	
Shelf Life	-	
Notes	-	
6. Transport		
Transport	 Non dangerous goods according to the transport regulations. Secure against slipping. 	
Finished Product Packing	<u>-</u>	
Notes	<u>-</u>	





7. Fire – fighting measures		
Suitable extinguishing agen	ts	watersandfoamCO₂
Potential combustion products		• CO • CO ₂ • other toxic gases
Necessary protection equipment		Complete protection equipment for fire-brigade.
Notes		-
8. Removal		
Recyclability		Check possibility of recycling.
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code		• 10 11 03 waste glass-based fibrous materials
Notes		_
9. Marking and Guidelines		
Marking in accordance with Guideline	EEC	no labelling required
Notes		-
10. Information about REAC	h	
Information about REACh		According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.



11. Other Information





Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



