

Product Handling Information Sheet Durostone[®] UPM S1

1. Company				
Name/Address		Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren		
2. Product details				
Product/Article		Technical semi-finished product or machined part		
Abbreviated terms		GFK-UP		
Material Characterisation		Glass-fiber reinforced polyester resin in hardened condition		
Main Components		 glass-fiber polyester resin stabiliser fillers additives 		
Components Subject to labelli	ng	none		
Classification according to RE	ACh	Article		
Notes		-		
3. Product characteristics				

• firm			
white			
typical material smell			
_			
-			



Röchling

Industrial

3. Product characteristics	
Glass transition temperature	_
Thermal decomposition	-
Flash point	None, with intended use
Ignition temperature	_
Notes	_

4. Danger warnings				
Special Risks For Mankind And The Environment	none			
Notes	According to IARC glass fibre filaments cannot be classified as carcinogenic with humans (IARC group 3). The diameter of the glass fibre filaments which are used in this laminated material is outside of the lung-usual range from 3 μ m so that the danger of chronic lung damage is minimal. The diameter or the used glass fibre filaments amounts to 5 – 16 μ m (typical 12 μ m). Their diameter is not reduced by treatment of these fibres, i. e. it's potential lung freedom of movement does not increase.			

5. Handling and Storage	
Handling	 Product can be worked with conventional machines and tools. For the machining special tools should be used such as tungsten carbides drill / PKD or diamond-equipped tools.
Storage	 horizontally dry protected against frost protected against climatic influences
Safety measures	 Provide effective dust extraction when processing and machining. Carry protective mask and protective goggles at dusty condition.
nelf Life –	
Notes	_

6. Transport	
Transport	 Non dangerous goods according to the transport regulations.
	Secure against slipping

• Secure against slipping.



Print: 12/07/2025 • Release: 18/04/2024 • Version: 2.0 PIM-Version: 840 • PIM-ID: 710080 • PIM-Code: 840-20

Röchling

6. Transport	
Finished Product Packing	-
Notes	_

7. Fire – fighting measures				
Suitable extinguishing agents	 water sand foam CO₂ 			
Potential combustion products	• CO • CO ₂ • other toxic gases			
Necessary protection equipment	Complete protection equipment for fire-brigade.			
Notes	-			

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	10 11 03 waste glass-based fibrous materials
Notes	-

9. Marking and Guidelines		
Marking in accordance with EEC Guide	line no labelling required	
Notes	-	

10. Information about REACh



Print: 12/07/2025 • Release: 18/04/2024 • Version: 2.0 PIM-Version: 840 • PIM-ID: 710080 • PIM-Code: 840-20



Industrial

Information about REACh

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.-

11. Other Information

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



Print: 12/07/2025 • Release: 18/04/2024 • Version: 2.0 PIM-Version: 840 • PIM-ID: 710080 • PIM-Code: 840-20