

Product Handling Information Sheet

Maywoflamm® ABS MA

1. Company		
Name/Address	Röchling Industrial Allgäu GmbH Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 9857- 0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach	
2. Product details		
Product/Article	Semi-finished product (sheet or film)	
Abbreviated terms	ABS	
Material Characterisation	Thermoplastic	
Main Components	 acrylnitril butadiene styrene copolymer contains additives evtl. colour pigments 	
Components Subject to labelling	none	
Classification according to REAC	h Article	
Notes	-	
3. Product characteristics		
Form/State	• firm	
Color		
Odour	nearly odourless	
Density	1,2	
Melting range	>180	
Glass transition temperature	-	
Thermal decomposition	>300 °C	





3. Product characteristics	
Flash point	
gnition temperature	<u>-</u>
Notes	<u>-</u>
4. Danger warnings	
Special Risks For Mankind And Environment	Ine -
Notes	-
5. Handling and Storage	
Handling	 Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. Product can be worked with conventional machines and tools.
Storage	 horizontally dry protected against frost protected against climatic influences
Safety measures	
Shelf Life	-
Notes	-
6. Transport	
Transport	 Non dangerous goods according to the transport regulations. Secure against slipping.
	-
Finished Product Packing	



7. Fire – fighting measures





Suitable extinguishing agen	ts	waterfoam
		 dry powder extinguishing agents
Potential combustion produ	cts	 CO CO₂ styrene monomer acrylonitrile nitrogen monoxide
		 Introgen monoxide bromine derivatives such as hydrogen bromide and other combustion products
Necessary protection equip	ment	 Complete protection equipment for fire-brigade. Use self-contained air respirators during strong smoke and steam development.
Notes		Molten product has to be cooled with water. Fire residues must be collected and disposed according to the local instructions.
8. Removal		
Recyclability		Check possibility of recycling.
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code		12 01 05 plastics shavings and turnings20 01 39 plastics
Notes		-
9. Marking and Guidelines		
Marking in accordance with Guideline	EEC	no labelling required
Notes		-
10. Information about REAC	h	







Information about REACh

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

11. Other Information

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



