

Product Handling Information Sheet

Maywoflamm® ABS V0

1. Company						
Name/Address	Röchling Industrial Allgäu GmbH Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 9857 0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach					
2. Product details						
Product/Article	Semi-finished product (sheet or film)					
Abbreviated terms	ABS					
Material Characterisation	Thermoplastic					
Main Components	 acrylnitril butadiene styrene copolymer evtl. colour pigments contains additives 					
Components Subject to labelling	g none					
Classification according to REA	Ch Article					
Notes	-					
3. Product characteristics						
Form/State	• firm					
Color	-					
Odour	nearly odourless					
Density	1,20					
Melting range	>180					
Glass transition temperature	-					
Thermal decomposition	> 300 °C					





3. Product characteristics						
Flash point	<u> </u>					
Ignition temperature	-					
Notes	-					
4. Danger warnings						
Special Risks For Mankind And Th Environment	he -					
Notes	-					
5. Handling and Storage						
Handling	 Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. Product can be worked with conventional machines and tools. 					
Storage	 horizontally dry protected against frost protected against climatic influences 					
Safety measures						
Shelf Life	-					
Notes	-					
6. Transport						
Transport	 Non dangerous goods according to the transport regulations. Secure against slipping. 					
Finished Product Packing	-					
Finished Product Packing Notes	_					



7. Fire – fighting measures





Suitable extinguishing agents			waterfoamdry powder extinguishing agents					
Potential combustion products			 styrene monomer acrylonitrile nitrogen monoxide CO₂ CO bromine derivatives such as hydrogen bromide and other combustion products 					
Necessary protection equipment			 Complete protection equipment for fire-brigade. Use self-contained air respirators during strong smoke and steam development. 					
Notes			-					
8. Removal								
Recyclability			Check possib	ility of recycling				
EC Waste Catalog			The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".					
Waste Removal			Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.					
EC Waste Code			 12 01 05 plastics shavings and turnings 20 01 39 plastics 					
Notes			-					
9. Marking and Guidelines								
Marking in accordance with Guideline	EEC		-					
Notes			-					
10. Information about REAC	h							







Information about REACh

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

11. Other Information

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



