

## **Product Handling Information Sheet**

## Maywoflamm® ECE 37

1. Company		
Name/Address	Röchling Industrial Allgäu GmbH  Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 9857- 0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach	
2. Product details		
Product/Article	Semi-finished product (sheet or film)	
Abbreviated terms	ABS	
Material Characterisation	Thermoplastic	
Main Components	<ul> <li>acrylonitrile butadiene styrene</li> <li>contains additives and poss. color pigments</li> </ul>	
Components Subject to labelling	none	
Classification according to REACh	Article	
Notes		
3. Product characteristics		
Form/State	• firm	
Color	_	
Odour	nearly odourless	
Density	1,12	
Melting range	>180	
Glass transition temperature	-	
Thermal decomposition	> 300°C	
Flash point	<u> </u>	





	75000
Ignition temperature	> 350°C
Notes	<del>-</del>
4. Danger warnings	
Special Risks For Mankind And T Environment	The none
Notes	<u>-</u>
5. Handling and Storage	
Handling	
ridiidiiig	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be</li> </ul>
	stored for min. 24h under normal climatic conditions.
Storage	horizontally
	• dry
	<ul><li>protected against frost</li><li>protected against climatic influences</li></ul>
	product protect against frost
Safety measures	
Shelf Life	
Notes	<del>-</del>
6. Transport	
Transport	<ul> <li>Non dangerous goods according to the transport regulations.</li> </ul>
	Secure against slipping.
Finished Product Packing	-
Notes	_







Potential combustion products		<ul> <li>water</li> <li>foam</li> <li>CO<sub>2</sub></li> <li>dry powder extinguishing agents</li> </ul>		
		• CO • CO <sub>2</sub> • HCN • AN • Nox • HBr • SM		
Necessary protection equip	ment	Complete protection equipment for fire-brigade.		
Notes		Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.		
8. Removal				
Recyclability		Check possibility of recycling.		
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".		
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.		
EC Waste Code		<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>		
Notes				
9. Marking and Guidelines				
Marking in accordance with EEC Guideline		no labelling required		
Notes		-		
10. Information about REAC	Ch			
Information about REACh		Information about REACh Text		
11. Other Information				







Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



