

## **Product Handling Information Sheet**

## Polystone® Cut-Rite black

1. Company					
Name/Address	Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren				
2. Product details					
Product/Article	Technical semi-finished product or machined part				
Abbreviated terms	PE-HD / PE 300				
Material Characterisation	Semi crystalline plastic				
Main Components	<ul><li>polyethylene</li><li>stabiliser</li><li>additives</li></ul>				
Components Subject to labelling	none				
Classification according to REACh	Article				
Notes					
3. Product characteristics					
Form/State	• firm				
Color	black				
Odour	<ul> <li>nearly odourless</li> </ul>				
Density	>0,95				
Melting range	130 135				
Glass transition temperature	<u>-</u>				
Thermal decomposition	>390°C				
Flash point	≈ 340°C				





gnition temperature lotes	>350°C
otes	
	<del>-</del>
. Danger warnings	
pecial Risks For Mankind And The nvironment	none
lotes	<u>-</u>
. Handling and Storage	
landling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to b stored for min. 24h under normal climatic conditions.</li> </ul>
torage	<ul> <li>horizontally</li> <li>dry</li> <li>product protect against frost</li> <li>protected against climatic influences</li> </ul>
afety measures	
helf Life	-
lotes	-
. Transport	
ransport	<ul> <li>Non dangerous goods according to the transport regulations.</li> <li>Secure against slipping.</li> </ul>
inished Product Packing	-
lotes	-



7. Fire – fighting measures





Suitable extinguishing agents	• water
	• foam
	• CO <sub>2</sub>
	<ul> <li>dry powder extinguishing agents</li> </ul>
Potential combustion products	• CO
	• CO <sub>2</sub>
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>
Notes	-

9. Marking and Guidelines	<u> </u>					
Marking in accordance with Guideline	EEC	no labelling r	equired			
Notes		-				

10. Information about REACh		
ormation about REACh	Information about REACh Text	

11. Other Information	
Other Information	The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.

