

## **Product Handling Information Sheet**

> 390°C

## Polystone® D FDA black

1. Company						
Name/Address		Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren				
2. Product details						
Product/Article		Technical semi-finished product or machined part				
Abbreviated terms		PE-HD / PE 500				
Material Characterisation		Semi crystalline plastic				
Main Components		<ul> <li>polyethylene</li> <li>possibly olefin-copolymerisate</li> <li>stabiliser</li> <li>additives</li> </ul>				
Components Subject to label	ling	none				
Classification according to R	EACh	Article				
Notes		-				
3. Product characteristics						
Form/State		• firm				
Color		black				
Odour		nearly odourless				
Density		>0,95				
Melting range		130 135				
Glass transition temperature		-				



Thermal decomposition



Flash point	-				
Ignition temperature	> 350°C				
Notes	<u>-</u>				
4. Danger warnings					
Special Risks For Mankind Anc Environment	d The none				
Notes	-				
5. Handling and Storage					
Handling	Product can be worked with conventional machines and tools.				
	Before machining the product should have room temperature and/or to be				
	stored for min. 24h under normal climatic conditions.				
Storage	horizontally				
	• dry				
	protected against frost				
Carfaturasasarumas	protected against climatic influences				
Safety measures Shelf Life					
Notes					
6. Transport					
Transport	<ul> <li>Non dangerous goods according to the transport regulations.</li> </ul>				
	Secure against slipping.				
Finished Product Packing	-				
Notes	-				







Suitable extinguishing agents	• water
	• foam
	• CO <sub>2</sub>
	<ul> <li>dry powder extinguishing agents</li> </ul>
Potential combustion products	• CO <sub>2</sub>
	• CO <sup>2</sup>
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>
Notes	-

9. Marking and Guidelines					
Marking in accordance with Guideline	EEC	no labelling r	equired		
Notes		-			

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

## 11. Other Information







Other Information

The above information is based on the current state of our knowledge and does not constitute a guarantee of properties. Existing laws and regulations are to be observed by the recipient of our product on his own responsibility.



