

Product Handling Information Sheet

> 390°C

Polystone® D brown

| 1. Company | |
|---------------------------------|--|
| Name/Address | Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren |
| | |
| 2. Product details | |
| Product/Article | Technical semi-finished product or machined part |
| Abbreviated terms | PE-HD / PE 500 |
| Material Characterisation | Semi crystalline plastic |
| Main Components | polyethylene possibly olefin-copolymerisate stabiliser additives |
| Components Subject to labelling | g none |
| Classification according to REA | Ch Article |
| Notes | - |
| 3. Product characteristics | |
| Form/State | • firm |
| Color | brown |
| Odour | nearly odourless |
| Density | >0,95 |
| Melting range | 130 135 |
| Glass transition temperature | <u>-</u> |
| | |



Thermal decomposition



| Flash point | - | | | | |
|--|---|--|--|--|--|
| Ignition temperature | > 350°C | | | | |
| Notes | <u>-</u> | | | | |
| | | | | | |
| 4. Danger warnings | | | | | |
| Special Risks For Mankind Anc Environment | d The none | | | | |
| Notes | - | | | | |
| | | | | | |
| | | | | | |
| 5. Handling and Storage | | | | | |
| Handling | Product can be worked with conventional machines and tools. | | | | |
| , and the second | Before machining the product should have room temperature and/or to be | | | | |
| | stored for min. 24h under normal climatic conditions. | | | | |
| Storage | horizontally | | | | |
| | • dry | | | | |
| | protected against frost | | | | |
| Carfaturasasarumas | protected against climatic influences | | | | |
| Safety measures Shelf Life | | | | | |
| | | | | | |
| Notes | | | | | |
| | | | | | |
| | | | | | |
| 6. Transport | | | | | |
| Transport | Non dangerous goods according to the transport regulations. | | | | |
| | Secure against slipping. | | | | |
| Finished Product Packing | - | | | | |
| Notes | - | | | | |







| Suitable extinguishing agents | • water |
|--------------------------------|--|
| | • foam |
| | • CO ₂ |
| | dry powder extinguishing agents |
| Potential combustion products | • CO |
| | • CO ₂ |
| Necessary protection equipment | Complete protection equipment for fire-brigade. |
| Notes | Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions. |

| 8. Removal | |
|------------------|---|
| Recyclability | Check possibility of recycling. |
| EC Waste Catalog | The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous". |
| Waste Removal | Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations. |
| EC Waste Code | 12 01 05 plastics shavings and turnings20 01 39 plastics |
| Notes | - |

| 9. Marking and Guidelines | | | | | |
|--------------------------------------|-----|----------------|----------|--|--|
| Marking in accordance with Guideline | EEC | no labelling r | required | | |
| Notes | | _ | | | |

| 10. Information about REACh | | |
|-----------------------------|------------------------------|--|
| ormation about REACh | Information about REACh Text | |

| 11. Other Information | |
|-----------------------|---|
| Other Information | The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility. |

