

Product Handling Information Sheet

Polystone® ECTFE natural

1. Company	
Name/Address	Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren
2. Product details	
Product/Article	Technical semi-finished product or machined part
Abbreviated terms	E-CTFE
Material Characterisation	Thermoplastic
Main Components	ethylene-chlorotrifluoroethylene
Components Subject to labell	ing –
Classification according to RE	ACh -
Notes	-
3. Product characteristics	
Form/State	• firm
Color	natural
Odour	nearly odourless
Density	>1,65
Melting range	-
Glass transition temperature	-
Thermal decomposition	>300
Flash point	-
Ignition temperature	<u>-</u>





3. Product characteristics	
Notes	-
4. Danger warnings	
Special Risks For Mankind A Environment	nd The none
Notes	<u>-</u>
5. Handling and Storage	
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. When welding do not exceed the recommended air and tool temperatures. By disregarding the instructions the staff can falls in Fluor fever (fever with flike symptoms). At the first sign a doctor should be consulted. Plant parts should be grounded. Carry out processing in such a way that there is no thermal decomposition.
Storage	 horizontally dry product protect against frost protected against climatic influences
Safety measures	• In case of inhalation of decomposition products: - Take to fresh air.
Shelf Life	-
Notes	-
6. Transport	
Transport	 Non dangerous goods according to the transport regulations. Secure against slipping.
Finished Product Packing	<u>-</u>
Notes	<u>-</u>





7. Fire – fighting measures		
Suitable extinguishing agents		 water foam CO₂ dry powder extinguishing agents
Potential combustion products		hydrofluoric acidCOlow molecular fluorocarbon
Necessary protection equipment		 Complete protection equipment for fire-brigade. Use self-contained air respirators during strong smoke and steam development.
Notes		 -
8. Removal		
Recyclability		Check possibility of recycling.
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code		12 01 05 plastics shavings and turnings20 01 39 plastics
Notes		-
9. Marking and Guidelines		
Marking in accordance with Guideline	EEC	no labelling required
Notes		-
10. Information about REAC		







Information about REACh

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets. I

11. Other Information

Other Information

_



