

Product Handling Information Sheet

Polystone® ECTFE natural

1. Company			
Name/Address		Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren	
2. Product details			
Product/Article		Technical semi-finished product or machined part	
Abbreviated terms		E-CTFE	
Material Characterisation		Thermoplastic	
Main Components		ethylene-chlorotrifluoroethylene	
Components Subject to labelling		-	
Classification according to I	REACh	-	
Notes		-	
3. Product characteristics			
Form/State		• firm	
Color		natural	
Odour		nearly odourless	
Density		>1,65	
Melting range		-	
Glass transition temperature		-	
Thermal decomposition		>300	
Flash point		-	
Ignition temperature		-	





3. Product characteristics	
Notes	-
4. Danger warnings	
Special Risks For Mankind A Environment	nd The none
Notes	<u>-</u>
5. Handling and Storage	
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. When welding do not exceed the recommended air and tool temperatures. By disregarding the instructions the staff can falls in Fluor fever (fever with flike symptoms). At the first sign a doctor should be consulted. Plant parts should be grounded. Carry out processing in such a way that there is no thermal decomposition.
Storage	 horizontally dry product protect against frost protected against climatic influences
Safety measures	• In case of inhalation of decomposition products: - Take to fresh air.
Shelf Life	-
Notes	-
6. Transport	
Transport	 Non dangerous goods according to the transport regulations. Secure against slipping.
Finished Product Packing	<u>-</u>
Notes	<u>-</u>





Suitable extinguishing agen	TC	
	LJ	• water
		• foam
		• CO ₂
		dry powder extinguishing agents
Potential combustion products		hydrofluoric acid
		• CO
		low molecular fluorocarbon
Necessary protection equipment		Complete protection equipment for fire-brigade.
		 Use self-contained air respirators during strong smoke and steam
		development.
Notes		-
3. Removal		
Recyclability		Check possibility of recycling.
C Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Vaste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code		• 12 01 05 plastics shavings and turnings
		• 20 01 39 plastics
Notes		
P. Marking and Guidelines		
Marking in accordance with Guideline	EEC	no labelling required
Notes		_







Information about REACh

According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets. I

11. Other Information

Other Information

_



