

Product Handling Information Sheet

Polystone® ECTFE natural

1. Company		
Name/Address	Röchling Industrial SE & Co. KG	
	Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0	
	info@roechling-plastics.com • www.roechling.com/industrial/haren	
2. Product details		
Product/Article	Technical semi-finished product or machined part	
Abbreviated terms	E-CTFE	
Material Characterisation	Thermoplastic	
Main Components	ethylene-chlorotrifluoroethylene	
Components Subject to labelling		
Classification according to REACh		
Notes	-	
3. Product characteristics		
Form/State	• firm	
Color	natural	
Odour	nearly odourless	
Density	>1,65	
Melting range	-	
Glass transition temperature	-	
Thermal decomposition	>300	
Flash point	-	
Ignition temperature	-	





3. Product characteristics	
Notes	
4. Danger warnings	
Special Risks For Mankind A Environment	nd The none
Notes	
5. Handling and Storage	
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. When welding do not exceed the recommended air and tool temperatures. By disregarding the instructions the staff can falls in Fluor fever (fever with flu-like symptoms). At the first sign a doctor should be consulted. Plant parts should be grounded. Carry out processing in such a way that there is no thermal decomposition.
Storage	 horizontally dry product protect against frost protected against climatic influences
Safety measures	 In case of inhalation of decomposition products: - Take to fresh air.
Shelf Life	-
Notes	_
6. Transport	
Transport	Non dangerous goods according to the transport regulations.Secure against slipping.
Finished Product Packing	-
Notes	-





7. Fire – fighting measures	
Suitable extinguishing agents	 water foam CO₂ dry powder extinguishing agents
Potential combustion product	hydrofluoric acidCOlow molecular fluorocarbon
Necessary protection equipm	 Complete protection equipment for fire-brigade. Use self-contained air respirators during strong smoke and steam development.
Notes	-
8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	12 01 05 plastics shavings and turnings20 01 39 plastics
Notes	
9. Marking and Guidelines	
Marking in accordance with E	EC Guideline no labelling required
Notes	-
10. Information about REA	;h
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets





11. Other Information

Other Information



