

## **Product Handling Information Sheet**

## Polystone® G 100 natural

Röchli	•			
	Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren			
2. Product details				
Product/Article Techn	ical semi-finished product or machined part			
Abbreviated terms PE-HD	(PE 100)			
Material Characterisation Semi o	rystalline plastic			
• sto	<ul><li>polyethylene</li><li>stabiliser</li><li>additives</li></ul>			
Components Subject to labelling none				
Classification according to REACh Article				
Notes -				
3. Product characteristics				
Form/State • firm	n			
Color nature	1			
Odour • ne	nearly odourless			
Density >0,95				
Melting range 130 1	35			
Glass transition temperature –				
Thermal decomposition > 390°	C			
Flash point ≈ 340°	≈ 340°C			





Before machining the product should have ro stored for min. 24h under normal climatic cor	oom temperature and/or to l
4. Danger warnings  Special Risks For Mankind And The Environment  Notes  -  5. Handling and Storage  Handling  • Product can be worked with conventional more enactioning the product should have restored for min. 24h under normal climatic constants.	oom temperature and/or to l
Special Risks For Mankind And The Environment  Notes  -  S. Handling and Storage  Handling  Product can be worked with conventional more and the product should have restored for min. 24h under normal climatic constants.	oom temperature and/or to l
Special Risks For Mankind And The Environment  Notes  -  S. Handling and Storage  Handling  Product can be worked with conventional more and the product should have restored for min. 24h under normal climatic constants.	oom temperature and/or to l
Environment  Notes  -  S. Handling and Storage  Handling  Product can be worked with conventional modes and the product should have restored for min. 24h under normal climatic corestorage  horizontally	oom temperature and/or to l
5. Handling and Storage  Handling  • Product can be worked with conventional models and the product should have restored for min. 24h under normal climatic constorage  • horizontally	oom temperature and/or to l
Handling  • Product can be worked with conventional mo • Before machining the product should have ro stored for min. 24h under normal climatic cor  Storage  • horizontally	oom temperature and/or to l
Handling  • Product can be worked with conventional mo • Before machining the product should have ro stored for min. 24h under normal climatic cor  Storage  • horizontally	oom temperature and/or to l
Handling  • Product can be worked with conventional mo • Before machining the product should have ro stored for min. 24h under normal climatic cor  Storage  • horizontally	oom temperature and/or to l
Before machining the product should have rostored for min. 24h under normal climatic cor  Storage      horizontally	oom temperature and/or to l
,	
<ul> <li>ary</li> <li>protected against frost</li> <li>protected against climatic influences</li> </ul>	
Safety measures	
Shelf Life -	
Notes -	
6. Transport	
Transport  • Non dangerous goods according to the trans • Secure against slipping.	port regulations.
Finished Product Packing –	
Notes -	



7. Fire – fighting measures

## **Industrial**



Suitable extinguishing agents	• water
	• foam
	• CO <sub>2</sub>
	<ul> <li>dry extinguishing media</li> </ul>
Potential combustion products	• CO <sub>2</sub>
	• CO <sup>2</sup>
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>
Notes	-

9. Marking and Guidelines					
Marking in accordance with Guideline	EEC	no labelling r	required		
Notes		-			

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

## 11. Other Information







Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



