

## **Product Handling Information Sheet**

≈ 340°C

## Polystone<sup>®</sup> G B 100 BIO (mb) black

1. Company				
Name/Address	Röchling Industrial SE & Co. KG  Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren			
2. Product details				
Product/Article	Technical semi-finished product or machined part			
Abbreviated terms	PE-HD (PE 100)			
Material Characterisation	Semi crystalline plastic (PE 100)			
Main Components	<ul><li>polyethylene</li><li>stabiliser</li><li>additives</li></ul>			
Components Subject to labelling	none			
Classification according to REACh	Article			
Notes	This product is a mass-balanced and bio-based product. See chapter 11.			
3. Product characteristics				
Form/State	• firm			
Color	black			
Odour	nearly odourless			
Density	>0,96			
Melting range	130 135			
Glass transition temperature	-			
Thermal decomposition	> 390°C			
FI 1	7.4000			



Flash point



Ignition temperature	> 350°C					
Notes						
110100						
4. Danger warnings						
Special Risks For Mankind And The Environment	none					
Notes	-					
5. Handling and Storage						
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>					
Storage	<ul> <li>horizontally</li> <li>dry</li> <li>protected against frost</li> <li>protected against climatic influences</li> </ul>					
Safety measures						
Shelf Life						
Notes						
6. Transport						
Transport	<ul> <li>Non dangerous goods according to the transport regulations.</li> <li>Secure against slipping.</li> </ul>					
Finished Product Packing	-					
Finished Product Packing Notes						



7. Fire – fighting measures

## Industrial



Suitable extinguishing agents	• water
	• foam
	• CO <sub>2</sub>
	<ul> <li>dry powder extinguishing agents</li> </ul>
Potential combustion products	• CO
	• CO <sub>2</sub>
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>
Notes	-

7. Marking and Guidennes						
Marking in accordance with Guideline	EEC	no labelling r	equired			
Notes		-				

10. Information about REACh			
Information about REACh	Information about REACh Text		

11. Other Information	
Other Information	The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility. Bio-based product (article) - The product (article) loses its biobased status if the purchasing company is not certified according to ISCC-Plus.

