Industrial

## **Product Handling Information Sheet** Polystone<sup>®</sup> M Slide blue

\_

> 390°C

1. Company	
Name/Address	<b>Röchling Industrial SE &amp; Co. KG</b> Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren
2. Product details	
Product/Article	Technical semi-finished product or machined part
Abbreviated terms	PE-UHMW / PE 1000
Material Characterisation	Semi crystalline plastic
Main Components	<ul> <li>polyethylene</li> <li>possibly olefin-copolymerisate</li> <li>stabiliser</li> <li>additives</li> </ul>
Components Subject to lab	elling none
Classification according to	REACh Article
Notes	-
3. Product characteristics	
Form/State	• firm
Color	blue
Odour	nearly odourless
Density	>0,95



Print: 30/04/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 383 • PIM-ID: 718562 • PIM-Code: 383-22

Glass transition temperature

Thermal decomposition

## Röchling

3. Product characteristics		
Flash point	-	
Ignition temperature	> 350°C	
Notes	-	

4. Danger warnings			
Special Risks For Mankind And T Environment	he none		
Notes	-		
5. Handling and Storage			
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>		
Storage	<ul> <li>horizontally</li> <li>dry</li> <li>protected against frost</li> <li>protected against climatic influences</li> </ul>		
Safety measures			
Shelf Life			
Notes			
6. Transport			
Transport	<ul> <li>Non dangerous goods according to the transport regulations.</li> <li>Secure against slipping.</li> </ul>		

	<ul> <li>Secure against</li> </ul>	. siipping.	
Finished Product Packing	-		
Notes	-		

## 7. Fire – fighting measures



Print: 30/04/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 383 • PIM-ID: 718562 • PIM-Code: 383-22



Suitable extinguishing agents	• water
	• foam
	• CO <sub>2</sub>
	<ul> <li>dry powder extinguishing agents</li> </ul>
Potential combustion products	• CO
	• CO <sub>2</sub>
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.

8. Removal				
Recyclability		Check possibility of recycling.		
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".		
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordanc with local regulations.		
EC Waste Code		<ul> <li>12 01 05 plastics shavings and turnings</li> <li>20 01 39 plastics</li> </ul>		
Notes		-		
9. Marking and Guidelines				
	FFC	no labelling required		
Marking in accordance with Guideline	EEC	no labelling required		
Marking in accordance with	EEC	no labelling required		
Marking in accordance with Guideline Notes		no labelling required		
Marking in accordance with Guideline		no labelling required		

11. Other Information		
Other Information	The information in this document are based on our today's knowledge and represent no affirmation of characteristics.Existing laws and regulations are to be observed by the user of our product within his own responsibility.	

