Industrial

Product Handling Information Sheet Polystone[®] M Soft white

_

> 390°C

Name/Address Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren 2. Product details	. Company	
Product/Article Technical semi-finished product or machined part Abbreviated terms PE-UHMW / PE 1000 Material Characterisation Semi crystalline plastic Main Components • polyethylene • possibly olefin-copolymerisate • stabiliser • additives • additives Components Subject to labelling none Classification according to REACh Article Notes - 3. Product characteristics • firm Color white	Jame/Address	Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0
Abbreviated terms PE-UHMW / PE 1000 Material Characterisation Semi crystalline plastic Main Components • polyethylene • possibly olefin-copolymerisate • stabiliser • additives • additives Components Subject to labelling none Classification according to REACh Article Notes - 3. Product characteristics • firm Color white	2. Product details	
Material Characterisation Semi crystalline plastic Main Components • polyethylene • possibly olefin-copolymerisate • stabiliser • additives • additives Components Subject to labelling none Classification according to REACh Article Notes - 3. Product characteristics • firm Color white	Product/Article	Technical semi-finished product or machined part
Main Components • polyethylene • possibly olefin-copolymerisate • stabiliser • additives • additives Components Subject to labelling none Classification according to REACh Article Notes - 3. Product characteristics • firm Color white	Abbreviated terms	PE-UHMW / PE 1000
 possibly olefin-copolymerisate stabiliser additives Components Subject to labelling none Classification according to REACh Article Notes - 3. Product characteristics Form/State firm Color white 	Aaterial Characterisation	Semi crystalline plastic
Classification according to REACh Article Notes - 3. Product characteristics - Form/State • firm Color white	1ain Components	 possibly olefin-copolymerisate stabiliser
Notes - 3. Product characteristics Form/State • firm Color white	Components Subject to label	ing none
3. Product characteristics Form/State • firm Color white	Classification according to R	ACh Article
Form/State • firm Color white	lotes	-
Color white	5. Product characteristics	
	orm/State	• firm
Odour energy odourless	Color	white
• nearly ododness	Jdour	nearly odourless
Density >0,92	Density	>0,92
Melting range 130 135	Aelting range	130 135



Print: 09/05/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 392 • PIM-ID: 718558 • PIM-Code: 392-19

Glass transition temperature

Thermal decomposition

Röchling

3. Product characteristics		
Flash point	-	
Ignition temperature	> 350°C	
Notes	-	

4. Danger warnings	
Special Risks For Mankind And Environment	
Notes	-
5. Handling and Storage	
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.
Storage	 horizontally dry protected against frost protected against climatic influences
Safety measures	
Shelf Life	
Notes	
6. Transport	
Transport	 Non dangerous goods according to the transport regulations. Secure against slipping.

	 Secure against slipping. 	
Finished Product Packing	-	
Notes	-	

7. Fire – fighting measures



Print: 09/05/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 392 • PIM-ID: 718558 • PIM-Code: 392-19



Suitable extinguishing agents	• water
	• foam
	• CO ₂
	 dry powder extinguishing agents
Potential combustion products	• CO
	• CO ₂
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	 12 01 05 plastics shavings and turnings 20 01 39 plastics
Notes	-

9. Marking and Guidelines						
Marking in accordance with Guideline	EEC	no labelling r	required			
Notes		-				

10. Information about REACh						
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.					

11. Other Information



Print: 09/05/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 392 • PIM-ID: 718558 • PIM-Code: 392-19



Industrial

Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics.Existing laws and regulations are to be observed by the user of our product within his own responsibility.





Print: 09/05/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 392 • PIM-ID: 718558 • PIM-Code: 392-19