

Product Handling Information Sheet

Polystone® P (Homopolymer) EHS natural

1. Company					
Name/Address	Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren				
2. Product details					
Product/Article	Technical semi-finished product or machined part				
Abbreviated terms	PP-H				
Material Characterisation	Semi crystalline plastic				
Main Components	polypropylene - homopolymerstabiliseradditives				
Components Subject to labelling	none				
Classification according to REACh	Article				
Notes	-				
3. Product characteristics					
Form/State	• firm				
Color	natural				
Odour					
	nearly odourless				
Density	>0,90				
Melting range	162 167				
Glass transition temperature	7000				
Thermal decomposition	> 390°C				
Flash point	≈ 340°C				





gnition temperature Notes I. Danger warnings Special Risks For Mankind And The	> 300°C -
I. Danger warnings	
necial Risks For Mankind And The	
Environment	none
Votes	-
i. Handling and Storage	
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.
Storage	 horizontally dry protected against frost protected against climatic influences
Safety measures	
Shelf Life	-
Notes	-
i. Transport	
ransport	 Non dangerous goods according to the transport regulations. Secure against slipping.
inished Product Packing	-
Notes	-



7. Fire – fighting measures

Industrial



Suitable extinguishing agents	• water
	• foam
	• CO ₂
	 dry powder extinguishing agents
Potential combustion products	• CO
	• CO ₂
Necessary protection equipment	Complete protection equipment for fire-brigade.
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	12 01 05 plastics shavings and turnings20 01 39 plastics
Notes	

9. Marking and Guidelines	<u> </u>					
Marking in accordance with Guideline	EEC	no labelling r	equired			
Notes		-				

10. Information about REACh		
ormation about REACh	Information about REACh Text	

11. Other Information	
Other Information	The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.

