

Product Handling Information Sheet

Polystone® P (RandomCopolymer) natural

1. Company					
Name/Address	Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren				
2. Product details					
Product/Article	Technical semi-finished product or machined part				
Abbreviated terms	PP-R				
Material Characterisation	Semi crystalline plastic				
Main Components	polypropylene - copolymerstabiliseradditives				
Components Subject to labelling	none				
Classification according to REACh	Article				
Notes	_				
3. Product characteristics					
Form/State	• firm				
Color	natural				
Odour	nearly odourless				
Density	>0,91				
Melting range	146 152				
Glass transition temperature	-				
Thermal decomposition	>390°C				
Flash point	≈ 340°C				





Notes - 4. Danger warnings Special Risks For Mankind And The Environment Notes - 5. Handling and Storage Handling • Product can be worked with conventional machines and tools.	>300°C	Ignition temperature	
4. Danger warnings Special Risks For Mankind And The Environment Notes - 5. Handling and Storage Handling • Product can be worked with conventional machines and tools. • Before machining the product should have room temperature and/or stored for min. 24h under normal climatic conditions. Storage • horizontally • dry • protected against climatic influences Safety measures Shelf Life - Notes 6. Transport • Non dangerous goods according to the transport regulations. • Secure against slipping. Finished Product Packing -			
Special Risks For Mankind And The Environment Notes - 5. Handling and Storage Handling • Product can be worked with conventional machines and tools. • Before machining the product should have room temperature and/or stored for min. 24h under normal climatic conditions. Storage • horizontally • dry • protected against climatic influences Safety measures Shelf Life - Notes - 6. Transport • Non dangerous goods according to the transport regulations. • Secure against slipping. Finished Product Packing -			
Environment Notes - 5. Handling and Storage Handling • Product can be worked with conventional machines and tools. • Before machining the product should have room temperature and/or stored for min. 24h under normal climatic conditions. Storage • horizontally • dry • protected against climatic influences Safety measures Shelf Life - Notes 6. Transport • Non dangerous goods according to the transport regulations. • Secure against slipping. Finished Product Packing -		4. Danger warnings	
5. Handling and Storage Handling Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or stored for min. 24h under normal climatic conditions. Storage horizontally dry protected against climatic influences Safety measures Shelf Life Notes Notes Non dangerous goods according to the transport regulations. Secure against slipping.	d And The none		
Handling Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or stored for min. 24h under normal climatic conditions. Storage horizontally dry protected against climatic influences Safety measures Shelf Life Notes Notes Non dangerous goods according to the transport regulations. Secure against slipping. Finished Product Packing Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or stored to limit t	-	Notes	
Handling Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or stored for min. 24h under normal climatic conditions. Storage horizontally dry protected against climatic influences Safety measures Shelf Life Notes Notes Non dangerous goods according to the transport regulations. Secure against slipping. Finished Product Packing Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or stored to limit t			
Handling Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or stored for min. 24h under normal climatic conditions. Storage horizontally dry protected against climatic influences Safety measures Shelf Life Notes Notes Non dangerous goods according to the transport regulations. Secure against slipping. Finished Product Packing Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or stored to limit t			
Before machining the product should have room temperature and/or stored for min. 24h under normal climatic conditions. Storage horizontally dry protected against climatic influences Safety measures Shelf Life Notes - Notes Non dangerous goods according to the transport regulations. Secure against slipping. Finished Product Packing -		5. Handling and Storage	
odry protected against climatic influences Safety measures Shelf Life Notes - Notes Non dangerous goods according to the transport regulations. Secure against slipping. Finished Product Packing -	 Before machining the product should have room temperature and/or to be 	Handling	
Shelf Life – Notes – 6. Transport Transport • Non dangerous goods according to the transport regulations. • Secure against slipping. Finished Product Packing –	• dry	Storage	
6. Transport Transport • Non dangerous goods according to the transport regulations. • Secure against slipping. Finished Product Packing -		Safety measures	
6. Transport Transport • Non dangerous goods according to the transport regulations. • Secure against slipping. Finished Product Packing -	-	Shelf Life	
Transport Non dangerous goods according to the transport regulations. Secure against slipping. Finished Product Packing		Notes	
Transport • Non dangerous goods according to the transport regulations. • Secure against slipping. Finished Product Packing -			
Secure against slipping. Finished Product Packing -		6. Transport	
		Transport	
Notes –	-	Finished Product Packing	
	-	Notes	



Industrial



• water
• foam
• CO ₂
dry powder extinguishing agents
• CO
• CO ₂
Complete protection equipment for fire-brigade.
Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	12 01 05 plastics shavings and turnings20 01 39 plastics
Notes	-

9. Marking and Guidelines					
Marking in accordance with Guideline	EEC	no labelling r	equired		
Notes		-			

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

11. Other Information







Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



