

Product Handling Information Sheet

Sustadur® PET FG black

1. Company

Name/Address	Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein
--------------	---

2. Product details

Product/Article	Engineering semi-finished product
Abbreviated terms	PET
Material Characterisation	Thermoplastic
Main Components	<ul style="list-style-type: none"> polyethylene terephthalate
Components Subject to labelling	none
Classification according to REACh	Article
Notes	-

3. Product characteristics

Form/State	<ul style="list-style-type: none"> solid
Color	black
Odour	<ul style="list-style-type: none"> odourless
Density	1,39
Melting range	255
Glass transition temperature	-
Thermal decomposition	>300 °C
Flash point	-
Ignition temperature	>420 °C



3. Product characteristics

Notes -

4. Danger warnings

Special Risks For Mankind And The Environment none

Notes -

5. Handling and Storage

Handling

- Product can be worked with conventional machines and tools.
- Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.

Storage

- horizontally
- dry
- protected against climatic influences

Safety measures -

Shelf Life -

Notes -

6. Transport

Transport

- Not classified as hazardous good under transport regulations.

Finished Product Packing -

Notes -

7. Fire – fighting measures

Suitable extinguishing agents

- water
- foam
- dry extinguishing media
- CO₂



7. Fire – fighting measures

Potential combustion products	<ul style="list-style-type: none"> • carbon monoxide • tetrahydrofuran
Necessary protection equipment	<ul style="list-style-type: none"> • Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.
Notes	Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.

8. Removal

Recyclability	Check possibility of recycling.
EC Waste Catalog	According the European waste catalogue (EAK) the product is not classified as hazardous.
Waste Removal	Waste disposal by landfill or incineration in compliance with state and local regulations.
EC Waste Code	<ul style="list-style-type: none"> • 12 01 05 plastics shavings and turnings • 07 02 13 waste plastic
Notes	-

9. Marking and Guidelines

Marking in accordance with EEC Guideline	not subject to labelling
Notes	-

10. Information about REACH

Information about REACH	Information about REACH Text
-------------------------	------------------------------

11. Other Information

Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recipient of our products on his own authority.
-------------------	---

