

## **Product Handling Information Sheet**

## Sustadur® PET FG black

1. Company		
Name/Address	Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein	
2. Product details		
Product/Article	Engineering semi-finished product	
Abbreviated terms	PET	
Material Characterisation	Thermoplastic	
Main Components	polyethylene terephtalate	
Components Subject to labelling	none	
Classification according to REACh	Article	
Notes	-	
3. Product characteristics		
Form/State	• solid	
Color	black	
Odour	• odourless	
Density	1,39	
Melting range	248	
Glass transition temperature	-	
Thermal decomposition	>300 °C	
Flash point	-	
Ignition temperature	>420 °C	





3. Product characteristics	
Notes	-
4. Danger warnings	
Special Risks For Mankind And T Environment	ne none
Notes	<del></del>
5. Handling and Storage	
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>
Storage	<ul><li>horizontally</li><li>dry</li><li>protected against climatic influences</li></ul>
Safety measures	
Shelf Life	7
Notes	-
6. Transport	
Transport	<ul> <li>Not classified as hazardous good under transport regulations.</li> </ul>
Finished Product Packing	-
Notes	-
7 Fire fighting magazine	
7. Fire – fighting measures	
Suitable extinguishing agents	water     foam
	<ul><li>toam</li><li>dry extinguishing media</li></ul>
	• CO <sub>2</sub>





7. Fire – fighting measures			
Potential combustion products		<ul><li>carbon monoxide</li><li>tetrahydrofuran</li></ul>	
Necessary protection equipment  Notes		Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.  Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.	
Recyclability		Check possibility of recycling.	
EC Waste Catalog		According the European waste catalogue (EAK) the product is not classified as hazardous.	
Waste Removal		Waste disposal by landfill or incineration in compliance with state and local regulations.	
EC Waste Code		<ul><li>12 01 05 plastics shavings and turnings</li><li>07 02 13 waste plastic</li></ul>	
Notes		-	
9. Marking and Guidelines			
Marking in accordance with Guideline	EEC	not subject to labelling	
Notes		-	
10. Information about REAC	h		
Information about REACh		According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore not required to issue safety sheets.	
11. Other Information			
Other Information		All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.	

