Industrial

Product Handling Information Sheet

Sustamid[®] 12 GF 30 natural

1. Company		
Name/Address	Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0	
	info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein	
2. Product details		
Product/Article	Engineering semi-finished product	
Abbreviated terms	PA 12	
Material Characterisation	Thermoplastic	
Main Components	 polyamide 12 contains glass fibre evtl. colour pigments 	
Components Subject to labelling	none	
Classification according to REACh	Article	
Notes		

3. Product characteristics		
Form/State	• solid	
Color	natural	
Odour	odourless	
Density	1,25	
Melting range	180	
Glass transition temperature		
Thermal decomposition	>300 °C	



Röchling

Flash point			
Ignition temperature	>350 °C		
Notes			
4. Danger warnings			
Special Risks For Mankind And Environment	e none		
Notes	-		
5. Handling and Storage			
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. 		
Storage	 horizontally dry protected against climatic influences 		
Safety measures			
Shelf Life	-		
Notes	-		
6. Transport			
Transport	 Not classified as hazardous good under transport regulations. 		
Finished Product Packing	-		
Notes	-		



Print: 01/05/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 434 • PIM-ID: 591044 • PIM-Code: 434-30

Röchling

Suitable extinguishing agents	• water
	• foam
	 dry extinguishing media
	• CO ₂
Potential combustion products	carbon monoxide
	nitrogen oxide
	 traces of hydrogen cyanide
Necessary protection equipment	• Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.
Notes	Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.

8. Removal			
Recyclability	Check possibility of recycling.		
EC Waste Catalog	According the European waste catalogue (EAK) the product is not classified as hazardous.		
Waste Removal	Waste disposal by landfill or incineration in compliance with state and local regulations		
EC Waste Code	12 01 05 plastics shavings and turnings07 02 13 waste plastic		
Notes			

9. Marking and Guidelines				
Marking in accordance with El	EC Guideline not subject t	o labelling		
Notes	-			

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets

11. Other Information



Print: 01/05/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 434 • PIM-ID: 591044 • PIM-Code: 434-30



Industrial

Other Information

All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.





Print: 01/05/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 434 • PIM-ID: 591044 • PIM-Code: 434-30