

### **Product Handling Information Sheet**

#### Sustamid<sup>®</sup> 6 FR black calendered

1. Company				
Name/Address		<b>Röchling Industrial Lahnstein SE &amp; Co. KG</b> Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein		
2. Product details				
Product/Article		Engineering semi-finished product		
Abbreviated terms		PA 6		
Material Characterisation		Thermoplastic		
Main Components		<ul><li> polyamide 6</li><li> contains flame retardant</li></ul>		
Components Subject to labe	elling	none		
Classification according to	REACh	Article		
Notes		_		

3. Product characteristics	
Form/State	• solid
Color	black
Odour	• odourless
Density	1,17
Melting range	222
Glass transition temperature	-
Thermal decomposition	>300 °C
Flash point	



# Röchling

#### Industrial

3. Product characteristics		
Ignition temperature	>400 °C	
Notes	-	

4. Danger warnings		
Special Risks For Mankind And The Environment	none	
Notes	-	
5. Handling and Storage		
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>	
Storage	<ul> <li>horizontally</li> <li>dry</li> <li>protected against climatic influences</li> </ul>	
Safety measures		
Shelf Life	-	
Notes	-	

6. Transport			
Transport	<ul> <li>Not classified as hazardous good under transport regulations.</li> </ul>		
Finished Product Packing	-		
Notes	-		

7. Fire – fighting measures	
Suitable extinguishing agents	• water
	• foam
	<ul> <li>dry extinguishing media</li> </ul>
	• CO <sub>2</sub>



# Röchling

7. Fire – fighting measures		
Potential combustion products	<ul> <li>carbon monoxide</li> <li>nitrogen oxide</li> <li>traces of hydrogen cyanide</li> </ul>	
Necessary protection equipment	<ul> <li>Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.</li> </ul>	
Notes	Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.	

8. Removal		
Recyclability	Check possibility of recycling.	
EC Waste Catalog	According the European waste catalogue (EAK) the product is not classified as hazardous.	
Waste Removal	Waste disposal by landfill or incineration in compliance with state and local regulations.	
EC Waste Code	<ul> <li>12 01 05 plastics shavings and turnings</li> <li>07 02 13 waste plastic</li> </ul>	
Notes	-	
9. Marking and Guidelines		
Marking in accordance with EEC Guideline	not subject to labelling	

10. Information about REACh		
Information about REACh	Information about REACh Text	

\_

11. Other Information	
Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.



Notes