Industrial

## **Product Handling Information Sheet** Sustamid<sup>®</sup> 6G PD 140 blue

1. Company	
Name/Address	<b>Röchling Industrial Lahnstein SE &amp; Co. KG</b> Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein
2. Product details	
Product/Article	Engineering semi-finished product
Abbreviated terms	PA 6 G
Material Characterisation	Thermoplastic
Main Components	<ul> <li>polyamide 6</li> <li>contains evtl. colour pigments</li> <li>impact modifier</li> </ul>
Components Subject to labelling	none
Classification according to REACh	Article
Notes	-

3. Product characteristics		
Form/State	• solid	
Color	blue	
Odour	• odourless	
Density	1,14	
Melting range	210	
Glass transition temperature	-	
Thermal decomposition	>300 °C	
Flash point	-	



## Röchling

## Industrial

3. Product characteristics		
Ignition temperature	>400 °C	
Notes	_	

4. Danger warnings			
Special Risks For Mankind And The Environment	none		
Notes	-		
5. Handling and Storage			
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> </ul>		
Storage	<ul> <li>horizontally</li> <li>dry</li> <li>protected against climatic influences</li> </ul>		
Safety measures			
Shelf Life	-		
Notes	-		

6. Transport		
Transport	<ul> <li>Not classified as hazardous good under transport regulations.</li> </ul>	
Finished Product Packing	-	
Notes	-	

7. Fire – fighting measures	
Suitable extinguishing agents	• water
	• foam
	<ul> <li>dry extinguishing media</li> </ul>
	• CO <sub>2</sub>



Print: 05/05/2024 • Release: 11/10/2023 • Version: 2.0 PIM-Version: 416 • PIM-ID: 591343 • PIM-Code: 416-9

## Röchling

7. Fire – fighting measures	
Potential combustion products	<ul> <li>carbon monoxide</li> <li>nitrogen oxide</li> <li>traces of hydrogen cyanide</li> </ul>
Necessary protection equipment	<ul> <li>Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.</li> </ul>
Notes	Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.

8. Removal			
Recyclability	Check possibility of recycling.		
EC Waste Catalog	According the European waste catalogue (EAK) the product is not classified as hazardous.		
Waste Removal	Waste disposal by landfill or incineration in compliance with state and local regulations.		
EC Waste Code	<ul> <li>12 01 05 plastics shavings and turnings</li> <li>07 02 13 waste plastic</li> </ul>		
Notes	-		
9. Marking and Guidelines			
Marking in accordance with EEC Guideline	not subject to labelling		

10. Information about REACh		
Information about REACh	Information about REACh Text	

-

11. Other Information	
Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.



Print: 05/05/2024 • Release: 11/10/2023 • Version: 2.0 PIM-Version: 416 • PIM-ID: 591343 • PIM-Code: 416-9

Notes