Industrial

Product Handling Information Sheet Sustason[®] PPSU MG red

1. Company			
Name/Address	Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein		
2. Product details			
Product/Article	Engineering semi-finished product		
Abbreviated terms	PPSU		
Material Characterisation	Thermoplastic		
Main Components	 polyephenylensulfone contains evtl. colour pigments		
Components Subject to labelling	none		
Classification according to REACh	Article		
Notes			
Notes			

3. Product characteristics		
Form/State	• solid	
Color	red	
Odour	• odourless	
Density	1,29	
Melting range	-	
Glass transition temperature	220	
Thermal decomposition	>430 °C	
Flash point	-	



Röchling

3. Product characteristics	
Ignition temperature	>502 °C
Notes	-

4. Danger warnings				
Special Risks For Mankind And The Environment	none			
Notes	-			
5. Handling and Storage				
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. 			
Storage	 horizontally dry protected against climatic influences 			
Safety measures				
Shelf Life	-			
Notes	-			

6. Transport					
Transport	• Nc	ot classified as l	hazardous good u	nder transport regula	ations.
Finished Product Packing	_				
Notes	-				

7. Fire – fighting measures	
Suitable extinguishing agents	• water
	• foam
	 dry extinguishing media
	• CO ₂



Röchling

7. Fire – fighting measures	
Potential combustion products	 carbon monoxide sulfur dioxide sulfur trioxide
Necessary protection equipment	 Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.
Notes	Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.

8. Removal				
Recyclability	Check possibility of recycling.			
EC Waste Catalog	According the European waste catalogue (EAK) the product is not classified as hazardous.			
Waste Removal	Waste disposal by landfill or incineration in compliance with state and local regulations.			
EC Waste Code	 12 01 05 plastics shavings and turnings 07 02 13 waste plastic 			
Notes	-			

9. Marking and Guidelines				
Marking in accordance with Guideline	EEC	not subject to labelling		
Notes		-		

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

11. Other Information





Industrial

Other Information

All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.





Print: 03/05/2024 • Release: 20/09/2023 PIM-Version: 444 • PIM-ID: 591277 • PIM-Code: 444-13