

Industrial

Product Handling Information Sheet Sustason[®] PSU natural

1. Company Name/Address Röchling Industrial Lahnstein SE & Co. KG Sustaplast-Str. 1 • 56112 Lahnstein/Germany (DE) • Tel. +49 2621 693-0 info.lahnstein@roechling.com • www.roechling.com/industrial/lahnstein 2. Product details Product/Article Engineering semi-finished product Abbreviated terms PSU Material Characterisation Thermoplastic Main Components polysulfone • contains evtl. colour pigments Components Subject to labelling none Classification according to REACh Article Notes _

3. Product characteristics		
Form/State	• solid	
Color	natural	
Odour	 odourless 	
Density	1,24	
Melting range	-	
Glass transition temperature	190	
Thermal decomposition	>400 °C	
Flash point	-	



Röchling

Industrial

3. Product characteristics		
Ignition temperature	>570 °C	
Notes	-	

4. Danger warnings				
Special Risks For Mankind And The Environment	e none			
Notes	-			
5. Handling and Storage				
Handling	 Product can be worked with conventional machines and tools. Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions. 			
Storage	 horizontally dry protected against climatic influences 			
Safety measures				
Shelf Life	-			
Notes	-			

6. Transport	
Transport	 Not classified as hazardous good under transport regulations.
Finished Product Packing	-
Notes	_

7. Fire – fighting measures	
Suitable extinguishing agents	• water
	foamdry extinguishing media
	• CO ₂



Print: 01/05/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 448 • PIM-ID: 591060 • PIM-Code: 448-27

Röchling

7. Fire – fighting measures	
Potential combustion products	 carbon monoxide sulfur dioxide sulfur trioxide
Necessary protection equipment	• Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.
Notes	Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	According the European waste catalogue (EAK) the product is not classified as hazardous.
Waste Removal	Waste disposal by landfill or incineration in compliance with state and local regulations.
EC Waste Code	12 01 05 plastics shavings and turnings07 02 13 waste plastic
Notes	-

9. Marking and Guidelines						
Marking in accordance with E	EC Guideline	not subject to	labelling			
Notes	-	_				
10. Information about REAC	h					

Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets

11. Other Information	
Other Information	All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recepient of our products on his own authority.



Print: 01/05/2024 • Release: 20/09/2023 • Version: 1.0 PIM-Version: 448 • PIM-ID: 591060 • PIM-Code: 448-27