

## **Product Handling Information Sheet**

## Trovidur® PN grey

1. Company			
Name/Address	Röchling Industrial SE & Co. KG - Troisdorf  Mülheimer Str. 26 - Geb. 115 • 53840 Troisdorf/DE • Tel. +49 2241 4820-0 info@roechling-plastics.com • www.roechling.com/industrial/troisdorf		
2. Product details			
Product/Article	Technical semi-finished product or machined part		
Abbreviated terms	PVC-U		
Material Characterisation	Amorphous plastic		
Main Components	<ul><li>polyvinyl chloride</li><li>stabiliser</li><li>additive</li></ul>		
Components Subject to labelling	7		
Classification according to REACh	Article		
Notes	-		
3. Product characteristics			
Form/State	• firm		
Color	grey		
Odour	nearly odourless		
Density	1,44		
Melting range	-		
Glass transition temperature	-		
Thermal decomposition	>180°C		
Flash point	-		





Ignition temperature	> 450°C
Notes	<u>-</u>
4. Danger warnings	
Special Risks For Mankind A Environment	nd The none
Notes	-
5. Handling and Storage	
Handling	<ul> <li>Product can be worked with conventional machines and tools.</li> <li>Before machining the product should have room temperature and/or to be stored for min. 24h under normal climatic conditions.</li> <li>While the processing sufficient for enough airing or by smoke attack provide for a extraction.</li> </ul>
Storage	<ul> <li>horizontally</li> <li>dry</li> <li>protected against frost</li> <li>protected against climatic influences</li> </ul>
Safety measures	
Shelf Life	-
Notes	By the processing under high temperatures gases can outcome, these gases can cause irritation the eyes and respiratory tract.
6. Transport	
Transport	<ul><li>Non dangerous goods according to the transport regulations.</li><li>Secure against slipping.</li></ul>
Finished Product Packing	-
Notes	







Suitable extinguishing agents	• water mist		
	• foam		
	<ul> <li>dry powder extinguishing agents</li> </ul>		
Potential combustion products	carbon monoxide		
	• CO <sub>2</sub>		
	hydrochloric acid		
	<ul> <li>hydrocarbon</li> </ul>		
Necessary protection equipment	Complete protection equipment for fire-brigade.		
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.		

8. Removal				
Recyclability	Check possibility of recycling.			
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".			
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.			
EC Waste Code	<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>			
Notes	This material can to 100 % be recycled.			

9. Marking and Guidelines		
Marking in accordance with EEC Guideline	no labelling required	
Notes		

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets.

## 11. Other Information







Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



