Röchling

Safety Data Sheet

SustaPEEK

1. Identification

Product Identifier:

Manufacturer:

SustaPEEK, SustaPEEK XDT, SustaPEEK Mod, SustaPEEK GF, SustaPEEK HT

Roechling Industrial Gastonia 903 Gastonia Technology Pkwy Dallas, NC 28034 | United States

T 704 922-7814 | F 704 884-7651

info@roechling-plastics.us www.roechling.com/us/industrial

2. Hazard Identification

Classification:	None
Signal Word:	None
Pictogram & Symbols:	None
Hazard Statements:	None
Precautionary Statements:	None

3. Composition/Information on Ingredients

Chemical characteristics:

Polyetheretherketone, additives and may contain color pigments. Additives can include: barium sulfate, glass fiber.

4. First-Aid Measures

Contact with Eyes:This product is in solid sheet and rod form. Always
use proper eye protection when cutting or
machining this material. In the event that dust or
particles contact the eyes during subsequent
machining or cutting, administer eyewash in the
same manner consistent with company safety
policy and consult physician. The particles are not
considered to be otherwise hazardousInhalation:N/A FollowingContact with Skin:After contact with molten product, cool quickly with
cold water. Do not pull product from skin. See
physician for medical treatment.

Ingestion:



Industrial

Safety Data Sheet

SustaPEEK

vomiting. Seek Medical attention.

Fire-Fighting Measures Suitable Extinguishing Agents: Special Dangers: Special Protective Equipment: For major fires, self-contained breathing apparatus and personal protective equipment may be needed. Accidental Release Measures None required

7. Handling and Storage

Product includes a combustible polymer. Store in a manner as not to expose to open flame or temperatures above the crystalline melt range listed below.

8. Exposure Controls/Personal Protection

General Protective Measures: No protective clothing is required for handling this product. Avoid contact of molten material with skin.

9. Physical and Chemical Properties

Appearance:	Solid plastic
Odor:	None
Physical Characteristics:	Crystalline
Melt Temperature:	343° C
Ignition Temperature:	>575° C
Solubility:	Non soluble in water

10. Stability and Reactivity

Thermal Decomposition:	>500° C
Hazardous Reactions:	No hazards known



Röchling

Safety Data Sheet

SustaPEEK

11. Toxicological Information

Remarks:

According to experience, this product is considered to be harmless to health if handled in the correct manner.

12. Ecological Information

Mobility in Soil:

Data not available

13. Disposal Considerations

This product can normally be disposed of as normal solid waste for landfills. However, Roechling Industrial Gastonia holds no liability for disposal of this product. It is the user's responsibility to comply with all local and state laws for proper disposal. Always consult the local regulatory agencies for proper disposal.

14. Transportation Information

This product is considered a non-hazardous product.

15. Regulatory Information

The State of California, OEHHA has issued a List of Chemicals where significant exposure to the chemicals can cause cancer, birth defects or other reproductive harm. Proposition 65 requires warnings to Californians about exposure to these chemicals in their homes or workplaces.

WARNING: SustaPEEK (any/all) may contain at least one of the following chemicals listed by California Proposition 65 as a cancer causing chemical:

Carbon Black, CAS 1333-86-4

Titanium Dioxide, CAS 13463-67-7

16. Other Information

This information is believed by the technical staff at Roechling Industrial Gastonia to be true and accurate for the normal and intended use of this product as of the date that this SDS was produced. Since Roechling Industrial Gastonia has no control over the actual use of this product, it is sole responsibility of the user to determine the proper protection with regards to safety and disposal of this product. Roechling Industrial Gastonia further recommends consulting local regulatory agencies to determine applicable laws and regulations.