

## Product Handling Information Sheet

# SUSTAMID 6G GK

### 1. Manufacturer

---

Address: Röchling Sustaplast SE & Co.KG  
Sustaplast-Str. 1  
56112 Lahnstein/Germany  
Tel. +49 2621 693-0  
Fax +49 2621 693-170  
info@sustaplast.de  
www.roechling.com

### 2. Product description

---

Product/Article: Engineering semi-finished product

Standard short-cut: PA 6

Material characterisation: Thermoplastics

Main components: polyamide 6,  
contains glass reinforced and evtl. colour pigments

Marking obligation components: none

Classification according REACh: Article

Notes: -

### 3. Product properties

---

Form: solid

Colour: standard: black

Odour: odourless

Density (g/cm<sup>3</sup>): 1,16 g/cm<sup>3</sup>

Melting range: 210-225 °C

Glass transition temperature: - °C

Thermal decomposition: >300 °C

Ignition temperature: >400 °C

Notes: -

## Product Handling Information Sheet

# SUSTAMID 6G GK

### 4. Risks

---

Special risks for mankind and the environment: none

Notes: -

### 5. Handling and storage

---

Handling: The product can be machined with standard machinery and tools. Before machining the product should be exposed to room temperature, resp. stored at room temperature 24 h before machining.

Storage: horizontal, dry, protection against climatic influence

Safety measures: -

Notes: -

### 6. Transport

---

Transport: Not classified as hazardous good under transport regulations.

Notes: -

### 7. Fire fighting

---

Suitable extinguishing agents: water, foam, dry extinguishing media, carbon dioxide

Potential combustion products: carbon monoxide, nitrogen oxide, traces of hydrogen cyanide

Special protection equipment: Fire fighters and others exposed to combustion products should wear full protective clothing and self-contained breathing apparatus.

Notes: Molten product should be cooled by water spray. Dispose fire debris and contaminated extinguishing water in accordance with local regulations.

## Product Handling Information Sheet

# SUSTAMID 6G GK

### 8. Removal

---

Recyclability:	Check for possible recycling.
European waste catalogue:	According the European waste catalogue (EAK) the product is not classified as hazardous.
Waste code:	12 01 05 Plastic shavings and turnings 07 02 13 Waste plastics
Waste removal:	Waste disposal by landfill or incineration in compliance with state and local regulations.
Notes:	-

### 9. Marking and guidelines

---

Marking in accordance with EEC guidelines:	not subject to labelling
Other guidelines:	-
Notes:	-

### 10. Informations about REACH

---

According to EC directive 1907/2006/EC (REACH), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACH), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACH we are manufacturing articles and, therefore, not required to issue safety sheets.

### 11. Other informations

---

All above mentioned information are based on our current state of knowledge and ensure no warranty of quality. Existing laws and regulations have to be observed by the recipient of our products on his own authority.