

## **Product Handling Information Sheet**

## Maywotron® ABS P

1. Company	
Name/Address	Röchling Industrial Allgäu GmbH  Hinter den Gärten 20 • 87730 Bad Grönenbach/Germany (DE) • Tel. +49 8334 9857-  0 info@roechling-maywo.de • www.roechling.com/industrial/groenenbach
2. Product details	
Product/Article	Technical semi-finished product or machined part
Abbreviated terms	ABS
Material Characterisation	Thermoplastic
Main Components	<ul> <li>acrylonitrile butadiene styrene</li> <li>contains polyether block amides (PEBA)</li> </ul>
Components Subject to labelling	none
Classification according to REACh	Article
Notes	
3. Product characteristics	
Form/State	• firm
Color	_
Odour	nearly odourless
Density	1,10
Melting range	>180°C
Glass transition temperature	-
Thermal decomposition	≥ 300°C
Flash point	<u>-</u>





Before machining the product should have ro stored for min. 24h under normal climatic cor	oom temperature and/or to l
4. Danger warnings  Special Risks For Mankind And The Environment  Notes  -  5. Handling and Storage  Handling  • Product can be worked with conventional more and the product should have restored for min. 24h under normal climatic constants.	oom temperature and/or to l
Special Risks For Mankind And The Environment  Notes  -  S. Handling and Storage  Handling  Product can be worked with conventional more and the product should have restored for min. 24h under normal climatic constants.	oom temperature and/or to l
Special Risks For Mankind And The Environment  Notes  -  S. Handling and Storage  Handling  Product can be worked with conventional more and the product should have restored for min. 24h under normal climatic constants.	oom temperature and/or to l
Environment  Notes  -  S. Handling and Storage  Handling  Product can be worked with conventional modes and the product should have restored for min. 24h under normal climatic corestorage  horizontally	oom temperature and/or to l
5. Handling and Storage  Handling  • Product can be worked with conventional models are stored for min. 24h under normal climatic constorage  • horizontally	oom temperature and/or to l
Handling  • Product can be worked with conventional mo • Before machining the product should have ro stored for min. 24h under normal climatic cor  Storage  • horizontally	oom temperature and/or to l
Handling  • Product can be worked with conventional mo • Before machining the product should have ro stored for min. 24h under normal climatic cor  Storage  • horizontally	oom temperature and/or to l
Handling  • Product can be worked with conventional mo • Before machining the product should have ro stored for min. 24h under normal climatic cor  Storage  • horizontally	oom temperature and/or to l
Before machining the product should have rostored for min. 24h under normal climatic cor  Storage      horizontally	oom temperature and/or to l
,	
<ul> <li>ary</li> <li>protected against frost</li> <li>protected against climatic influences</li> </ul>	
Safety measures	
Shelf Life -	
Notes -	
6. Transport	
Transport  • Non dangerous goods according to the trans • Secure against slipping.	port regulations.
Finished Product Packing –	
Notes -	



7. Fire – fighting measures





Suitable extinguishing agen	ts	<ul><li>water</li><li>foam</li><li>CO<sub>2</sub></li></ul>
Potential combustion produ	cts	<ul> <li>CO</li> <li>CO<sub>2</sub></li> <li>hydrocyanic acid</li> <li>ammonia</li> <li>nitrogen oxide</li> <li>styrene</li> </ul>
Necessary protection equip	ment	Complete protection equipment for fire-brigade.
Notes		Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.
8. Removal		
Recyclability		Check possibility of recycling.
EC Waste Catalog		The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal		Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code		<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>
Notes		-
9. Marking and Guidelines		
Marking in accordance with Guideline	EEC	no labelling required
Notes		-
10. Information about REAC	h	
Information about REACh		According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore, not required to issue safety sheets. I





11. Other Information	
Other Information	The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



