

## **Product Handling Information Sheet**

> 390°C

## Polystone® M Soft white

1. Company					
Name/Address		Röchling Industrial SE & Co. KG Röchlingstr. 1 • 49733 Haren (Ems)/Germany (DE) • Tel. +49 5934 701-0 info@roechling-plastics.com • www.roechling.com/industrial/haren			
2. Product details					
Product/Article		Technical semi-finished product or machined part			
Abbreviated terms		PE-UHMW / PE 1000			
Material Characterisation		Semi crystalline plastic			
Main Components		<ul><li>polyethylene</li><li>possibly olefin-copolymerisate</li><li>stabiliser</li><li>additives</li></ul>			
Components Subject to labe	elling	none			
Classification according to F	REACh	Article			
Notes		-			
3. Product characteristics					
Form/State		• firm			
Color		white			
Odour		nearly odourless			
Density		>0,92			
Melting range		130 135			
Glass transition temperature	)	-			



Thermal decomposition



Flash point	-				
Ignition temperature	> 350°C				
Notes	<u>-</u>				
4. Danger warnings					
Special Risks For Mankind Anc Environment	d The none				
Notes	-				
5. Handling and Storage					
Handling	Product can be worked with conventional machines and tools.				
, , , <u>, , , , , , , , , , , , , , , , </u>	Before machining the product should have room temperature and/or to be				
	stored for min. 24h under normal climatic conditions.				
Storage	horizontally				
	• dry				
	protected against frost				
Carfaturasasarumas	protected against climatic influences				
Safety measures Shelf Life					
Notes					
6. Transport					
Transport	<ul> <li>Non dangerous goods according to the transport regulations.</li> </ul>				
	Secure against slipping.				
Finished Product Packing	-				
Notes	-				







Suitable extinguishing agents	• water
	• foam
	• CO <sub>2</sub>
	<ul> <li>dry powder extinguishing agents</li> </ul>
Potential combustion products	• CO
	• CO <sub>2</sub>
Necessary protection equipment	<ul> <li>Complete protection equipment for fire-brigade.</li> </ul>
Notes	Molten product has to be cooled with water. Fireresidues must be collected and disposed according to the local instructions.

8. Removal	
Recyclability	Check possibility of recycling.
EC Waste Catalog	The product is classified in accordance with the European-Waste Catalogue (EWC) as "not dangerous".
Waste Removal	Has to be conveyed to a suitable dumping site or combustion plant in accordance with local regulations.
EC Waste Code	<ul><li>12 01 05 plastics shavings and turnings</li><li>20 01 39 plastics</li></ul>
Notes	-

9. Marking and Guidelines						
Marking in accordance with Guideline	EEC	no labelling r	equired			
Notes		-				

10. Information about REACh	
Information about REACh	According to EC directive 1907/2006/EC (REACh), Article 3, no.3 our products are clearly defined as articles, exempt from registration. The EU regulation about chemicals no. 1907/2006 (REACh), which came into force 01 st of June 2007, prescribes Material Safety Data Sheets only for dangerous substances and preparations. According to REACh we are manufacturing articles and, therefore not required to issue safety sheets.

## 11. Other Information







Other Information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.



